SENSAMIST FRUIT SLICES

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) Issue date: 05/23/2019
Revision date: 10/16/2023 Supersedes: 01/24/2023 Version: 2.1

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture

Product name : SENSAMIST FRUIT SLICES

CAS-No. : MIXTURE

Product code : SM-32-FRUITSLICE : Formula

Product group

1.2. Recommended use and restrictions on use

1.3. Supplier

Vectair Systems Inc.
2095 Spicer Cove, Covington Way Distribution Centre, Memphis, TN 38134, USA

Vectair Systems Inc +1 901 373 7818 (during normal office hours)
Product Development: info@vectairsystems.com

1.4. Emergency telephone number

Emergency number : INFOTRAC (US & Canada) 1-800-535-5053 | (International) 1-352-323-3500

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Flammable liquids Category 4	H227	Combustible liquid
Serious eye damage/eye irritation Category 2	H319	Causes serious eye irritation
Skin sensitization, Category 1	H317	May cause an allergic skin reaction

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS CA labeling

Hazard pictograms (GHS CA) :

Signal word (GHS CA) : Warning

Hazard statements (GHS CA) : H227 - Combustible liquid
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation

Precautionary statements (GHS CA) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 - IF ON SKIN: Wash with plenty of water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P370+P378 - In case of fire: Use media other than water to extinguish.
P403 - Store in a well-ventilated place.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
BENZYL ALCOHOL	BENZYL ALCOHOL (hydroxymethyl)benzene / alpha-hydrotoluene / alpha-hydroxytoluene / alpha-toluenol / benzal alcohol / benzenecarbinol / benzenemethanol / benzoyl alcohol / benzyl alcohol / benzylicum / hydroxytoluene / methanol, phenyl- / phenylcarbinol / phenylmethanol / phenylmethyl alcohol	(CAS-No.) 100-51-6	10 – 30	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2, H319
LIMONENE	LIMONENE (+)-1-methyl-4-isopropenyl-1-cyclohexene / (+)-4-isopropenyl-1-methylcyclohexene / (+)-cajeputene / (+)-carvene / (+)-citrene / (+)-para-mentha-1,8-diene / (+)-p-mentha-1,8-diene / (+)-R-limonene / (R)-(+)-4-isopropenyl-1-methyl-1-cyclohexene / (R)-(+)-limonene / (R)-1-methyl-4-(1-methylethenyl)cyclohexene / (R)-4-isopropenyl-1-methyl-1-cyclohexene / (R)-p-mentha-1,8-diene / 1,8-menthadiene, D- / 1-methyl-4-(1-methylethenyl)cyclohexene, (R)- / cyclohexene, 1-methyl-4-(1-methylethenyl)-, (R)- / cyclohexene, 1-methyl-4-(1-methylethenyl)-, (theta)- / cyclohexene, 4-isopropenyl-1-methyl- / D-(+)-limonene / dextro-limonene / dextro-para-mentha-1,8-diene / d-limonene / D-para-mentha-1,8-diene / D-p-mentha-1,8-diene / limonene, (R)-(+)- / limonene, D-(+)- / limonene, dextro- / para-mentha-1,8-diene, (R)-(+)- / p-mentha-1,8-diene, (R)-(+)- / p-mentha-1,8-diene, D- / refchole	(CAS-No.) 5989-27-5	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
ALDEHYDE C 16	3-methyl-3-phenylglycidic acid ethyl ester / 3-methyl-3-phenyl-oxiranecarboxylic acid, ethyl ester / aldehyde C16 / alpha,beta-epoxy-beta-methylhydrocinnamic acid, ethyl ester / butanoic acid, 2,3-epoxy-3-phenyl-, ethyl ester / C-16 aldehyde / EMPG / ethyl 2,3-epoxy-3-methyl-3-phenylpropionate / ethyl 2,3-epoxy-3-phenylbutyrate / ethyl 3-methyl-3-phenylglycidate / ethyl 3-methyl-3-phenylglycidate, mixture of cis and trans / ethyl 3-phenyl-2,3-epoxybutanoate / ethyl alpha,beta-epoxy-beta-methylhydrocinnamate / ethyl alpha,beta-epoxy-beta-methylphenylpropionate / ethyl beta-methylphenylglycidate / ethyl ester of 2,3-epoxy-3-phenylbutanoic acid / ethyl methyl phenyl glycidat code 7679 / FEMA No 2444 / FRAESEOL / hydrocinnamic acid, alpha,beta-epoxy-beta-methyl-, ethyl ester / oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester / strawberry aldehyde	(CAS-No.) 77-83-8	1 – 5	Skin Sens. 1B, H317

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
LINALYL ACETATE	1,5-dimethyl-1-vinyl-4-hexenyl acetate / 1,6-octadien-3-ol, 3,7-dimethyl-, acetate / 3,7-dimethyl-1,6-octadien-3-ol acetate / 3,7-dimethyl-1,6-octadien-3-yl acetate / acetic acid linalool ester / bergamiol / bergamol / bergamot mint oil / ex bois de rose (synthetic) / FEMA No. 2636 / licareol acetate / linalol acetate / linalool acetate / linalyl acetate / linalyl acetate synthetic	(CAS-No.) 115-95-7	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
BENZYL BENZOATE	BENZYL BENZOATE benylate / benzoate / benzoic acid, benzyl ester / benzoic acid, phenylmethyl ester / benzyl alcohol, benzoic ester / benzyl benzenecarboxylate / benzyl benzoate / benzyl benzoate USP 600040 / benzyl phenylformate / benzylets / FEMA number 2138	(CAS-No.) 120-51-4	1 – 5	Acute Tox. 4 (Oral), H302
2-ethyl-3-hydroxypyran-4-one	2-ethyl-3-hydroxypyran-4-one 2-ethyl pyromeconic acid / 2-ethyl-3-hydroxy-4H-pyran-4-one / 3-hydroxy-2-ethyl-4-pyrone / 4H-pyran-4-one, 2-ethyl-3-hydroxy- / ethyl maltol / veltol plus	(CAS-No.) 4940-11-8	1 – 5	Acute Tox. 4 (Oral), H302
CITRAL	CITRAL	(CAS-No.) 5392-40-5	< 0.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

5.3. Specific hazards arising from the hazardous product

Fire hazard : Combustible liquid.

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Myrcene (123-35-3)		
British Columbia	Notations and remarks	IARC group 2B carcinogen
British Columbia	Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)

CITRAL (5392-40-5)		
USA - ACGIH	ACGIH OEL TWA [ppm]	5 ppm (IFV - Inhalable fraction and vapor)
USA - ACGIH	Remark (ACGIH)	TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
USA - ACGIH	Regulatory reference	ACGIH 2018
Alberta	OEL TWA [ppm]	5 ppm
Alberta	Notations and remarks	Body weight eff; URT irr; eye dam; Skin; DSEN; A4
British Columbia	OEL TWA [ppm]	5 ppm
British Columbia	Notations and remarks	Body weight eff; URT irr; eye dam; Skin; DSEN; A4
Manitoba	OEL TWA [ppm]	5 ppm
Manitoba	Notations and remarks	Body weight eff; URT irr; eye dam; Skin; DSEN; A4
New Brunswick	OEL TWA [ppm]	5 ppm
New Brunswick	Notations and remarks	Body weight eff; URT irr; eye dam; Skin; DSEN; A4
Newfoundland & Labrador	OEL TWA [ppm]	5 ppm
Newfoundland & Labrador	Notations and remarks	Body weight eff; URT irr; eye dam; Skin; DSEN; A4
Nova Scotia	OEL TWA [ppm]	5 ppm
Nova Scotia	Notations and remarks	Body weight eff; URT irr; eye dam; Skin; DSEN; A4
Nunavut	OEL TWA [ppm]	5 ppm
Nunavut	Notations and remarks	Body weight eff; URT irr; eye dam; Skin; DSEN; A4
Northwest Territories	OEL TWA [ppm]	5 ppm
Northwest Territories	Notations and remarks	Body weight eff; URT irr; eye dam; Skin; DSEN; A4
Ontario	OEL TWA [ppm]	5 ppm
Ontario	Notations and remarks	Skin (IFV)
Ontario	Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833
Prince Edward Island	OEL TWA [ppm]	5 ppm
Prince Edward Island	Notations and remarks	Body weight eff; URT irr; eye dam; Skin; DSEN; A4

n-Butyl acetate (123-86-4)		
USA - ACGIH	ACGIH OEL TWA [ppm]	50 ppm
USA - ACGIH	ACGIH OEL STEL [ppm]	150 ppm
USA - ACGIH	Remark (ACGIH)	TLV® Basis: Eye & URT irr
USA - ACGIH	Regulatory reference	ACGIH 2018
USA - OSHA	OSHA PEL (TWA) [1]	710 mg/m³

n-Butyl acetate (123-86-4)		
USA - OSHA	OSHA PEL (TWA) [2]	150 ppm
USA - OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Ontario	OEL STEL [ppm]	200 ppm
Ontario	OEL TWA [ppm]	150 ppm
Ontario	Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833
Saskatchewan	OEL STEL [ppm]	200 ppm
Saskatchewan	OEL TWA [ppm]	150 ppm

AMYL ACETATE (628-63-7)		
USA - ACGIH	ACGIH OEL TWA [ppm]	50 ppm
USA - ACGIH	ACGIH OEL STEL [ppm]	100 ppm
USA - ACGIH	Remark (ACGIH)	TLV® Basis: URT irr
USA - ACGIH	Regulatory reference	ACGIH 2018
USA - OSHA	OSHA PEL (TWA) [1]	525 mg/m³
USA - OSHA	OSHA PEL (TWA) [2]	100 ppm
USA - OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Alberta	OEL TWA [ppm]	50 ppm
British Columbia	OEL TWA [ppm]	50 ppm
Manitoba	OEL TWA [ppm]	50 ppm
New Brunswick	OEL TWA [ppm]	50 ppm
Newfoundland & Labrador	OEL TWA [ppm]	50 ppm
Nova Scotia	OEL TWA [ppm]	50 ppm
Nunavut	OEL TWA [ppm]	50 ppm
Northwest Territories	OEL TWA [ppm]	50 ppm
Ontario	OEL STEL [ppm]	100 ppm
Ontario	OEL TWA [ppm]	50 ppm
Ontario	Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833
Prince Edward Island	OEL TWA [ppm]	50 ppm
Saskatchewan	OEL STEL [ppm]	100 ppm
Saskatchewan	OEL TWA [ppm]	50 ppm

BENZALDEHYDE (100-52-7)		
Ontario	OEL STEL	17 mg/m³
Ontario	OEL STEL [ppm]	4 ppm
Ontario	Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833

BENZYL ACETATE (140-11-4)		
USA - ACGIH	ACGIH OEL TWA [ppm]	10 ppm
USA - ACGIH	Remark (ACGIH)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
USA - ACGIH	Regulatory reference	ACGIH 2019
Alberta	OEL TWA [ppm]	10 ppm
Alberta	Notations and remarks	URT irr
British Columbia	OEL TWA [ppm]	10 ppm
British Columbia	Notations and remarks	URT irr
Manitoba	OEL TWA [ppm]	10 ppm
Manitoba	Notations and remarks	URT irr
New Brunswick	OEL TWA [ppm]	10 ppm
New Brunswick	Notations and remarks	URT irr
Newfoundland & Labrador	OEL TWA [ppm]	10 ppm

BENZYL ACETATE (140-11-4)		
Newfoundland & Labrador	Notations and remarks	URT irr
Nova Scotia	OEL TWA [ppm]	10 ppm
Nova Scotia	Notations and remarks	URT irr
Nunavut	OEL TWA [ppm]	10 ppm
Nunavut	Notations and remarks	URT irr
Northwest Territories	OEL TWA [ppm]	10 ppm
Northwest Territories	Notations and remarks	URT irr
Ontario	OEL TWA [ppm]	10 ppm
Ontario	Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833
Prince Edward Island	OEL TWA [ppm]	10 ppm
Prince Edward Island	Notations and remarks	URT irr
Saskatchewan	OEL STEL [ppm]	20 ppm
Saskatchewan	OEL TWA [ppm]	10 ppm

DIMETHYL SULFIDE (75-18-3)		
USA - ACGIH	ACGIH OEL TWA [ppm]	10 ppm
USA - ACGIH	Remark (ACGIH)	TLV® Basis: URT irr
USA - ACGIH	Regulatory reference	ACGIH 2018
Alberta	OEL TWA [ppm]	10 ppm
Alberta	Notations and remarks	URT irr
British Columbia	OEL TWA [ppm]	10 ppm
British Columbia	Notations and remarks	URT irr
Manitoba	OEL TWA [ppm]	10 ppm
Manitoba	Notations and remarks	URT irr
New Brunswick	OEL TWA [ppm]	10 ppm
New Brunswick	Notations and remarks	URT irr
Newfoundland & Labrador	OEL TWA [ppm]	10 ppm
Newfoundland & Labrador	Notations and remarks	URT irr
Nova Scotia	OEL TWA [ppm]	10 ppm
Nova Scotia	Notations and remarks	URT irr
Nunavut	OEL TWA [ppm]	10 ppm
Nunavut	Notations and remarks	URT irr
Northwest Territories	OEL TWA [ppm]	10 ppm
Northwest Territories	Notations and remarks	URT irr
Ontario	OEL TWA [ppm]	10 ppm
Ontario	Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833
Prince Edward Island	OEL TWA [ppm]	10 ppm
Prince Edward Island	Notations and remarks	URT irr
Saskatchewan	OEL STEL [ppm]	20 ppm
Saskatchewan	OEL TWA [ppm]	10 ppm

ALPHA PINENE (80-56-8)		
USA - ACGIH	ACGIH OEL TWA [ppm]	20 ppm
USA - ACGIH	Remark (ACGIH)	TLV® Basis: Lung irr. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen)
USA - ACGIH	Regulatory reference	ACGIH 2018
Saskatchewan	OEL STEL [ppm]	30 ppm
Saskatchewan	OEL TWA [ppm]	20 ppm
Saskatchewan	Notations and remarks	SEN

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Appearance	:	No data available
Color	:	Mixture contains one or more component(s) which have the following colour(s): Colourless to light yellow Colourless White Colourless to brown On exposure to air: yellow light yellow Colourless to yellow Light yellow to colourless On exposure to air: yellow-brown Colourless to light amber White to light yellow On exposure to light: discolours
Odor	:	There may be no odour warning properties, odour is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Floral odour Almost odourless Alcohol odour Pleasant odour Lemon odour Mild odour Sweet odour Characteristic odour Peppermint odour Fruity odour Aromatic odour Strong odour Odourless Irritating/pungent odour Almond odour Pine odour
Odor threshold	:	No data available
pH	:	No data available
Relative evaporation rate (butyl acetate=1)	:	No data available
Relative evaporation rate (ether=1)	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	≈ 74.9 °C
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability	:	Not applicable
Vapor pressure	:	No data available
Vapor pressure at 50°C	:	No data available
Relative density	:	No data available
Solubility	:	No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Explosion limits	:	No data available

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reactions known under normal conditions of use.
Conditions to avoid	:	Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation)	:	Not classified

D-LIMONENE (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)

CITRAL (5392-40-5)	
ATE CA (Dermal)	2250 mg/kg body weight

BENZYL BENZOATE (120-51-4)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))
LD50 oral	1160 mg/kg body weight
LD50 dermal rabbit	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)
ATE CA (oral)	1500 mg/kg body weight
ATE CA (Dermal)	4000 mg/kg body weight

ALDEHYDE C 16 (77-83-8)	
LD50 oral rat	5470 mg/kg (Rat, Male/female, Weight of evidence, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value, Dermal)
ATE CA (oral)	5470 mg/kg body weight

BENZYL ALCOHOL (100-51-6)	
LD50 oral rat	1620 mg/kg bw/day (Rat, Male, Experimental value, Oral)
LD50 oral	1620 mg/kg body weight
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Inconclusive, insufficient data, Dermal)
LD50 dermal	2500 mg/kg body weight
LC50 Inhalation - Rat	> 4.178 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male/female, Experimental value, Inhalation (aerosol))
ATE CA (oral)	1620 mg/kg body weight
ATE CA (Dermal)	2500 mg/kg body weight
ATE CA (dust,mist)	1.5 mg/l/4h

ETHYL MALTOL (4940-11-8)	
LD50 oral rat	1150 mg/kg (Rat, Oral)
LD50 oral	1200 mg/kg body weight
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Dermal)
ATE CA (oral)	1150 mg/kg body weight

Skin corrosion/irritation	:	Not classified
Serious eye damage/irritation	:	Causes serious eye irritation.
Respiratory or skin sensitization	:	May cause an allergic skin reaction.
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
STOT-single exposure	:	Not classified
STOT-repeated exposure	:	Not classified

Aspiration hazard : Not classified

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short–term (acute) : Not classified

Hazardous to the aquatic environment, long–term (chronic) : Not classified

D-LIMONENE (5989-27-5)	
LC50 - Fish [1]	720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	150 mg/l (OECD 201: Alga, Growth Inhibition Test, Desmodesmus subspicatus, Static system, Fresh water, Read-across, GLP)
BCF - Fish [1]	864.8 – 1022 (Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)

LINALYL ACETATE (115-95-7)	
LC50 - Fish [1]	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio)
EC50 - Crustacea [1]	15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)
EC50 72h - Algae [1]	16 mg/l (OECD 201: Alga, Growth Inhibition Test, Scenedesmus subspicatus)
Partition coefficient n-octanol/water (Log Pow)	3.93 (Experimental value)

BENZYL BENZOATE (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
EC50 72h - Algae [1]	0.475 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)
BCF - Fish [1]	2.286 (BCFBAF v3.00, Pisces, QSAR)
Partition coefficient n-octanol/water (Log Pow)	3.97 (Experimental value, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)

ALDEHYDE C 16 (77-83-8)	
LC50 - Fish [1]	4.2 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)
ErC50 algae	36 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	2.4 – 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.34 – 2.74 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)

BENZYL ALCOHOL (100-51-6)	
LC50 - Fish [1]	460 mg/l (EPA OPP 72-1, 96 h, Pimephales promelas, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	230 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Fresh water, Experimental value, GLP)
ErC50 algae	770 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	1 – 1.1 (Experimental value, 20 °C)

12.2. Persistence and degradability

D-LIMONENE (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.

D-LIMONENE (5989-27-5)	
ThOD	3.29 g O_2/g substance

LINALYL ACETATE (115-95-7)	
Persistence and degradability	Readily biodegradable in water.

BENZYL BENZOATE (120-51-4)	
Persistence and degradability	Readily biodegradable in water.

ALDEHYDE C 16 (77-83-8)	
Persistence and degradability	Not readily biodegradable in water.

BENZYL ALCOHOL (100-51-6)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.6 g O_2/g substance
Chemical oxygen demand (COD)	2.4 g O_2/g substance
ThOD	2.5 g O_2/g substance

ETHYL MALTOL (4940-11-8)	
Persistence and degradability	Biodegradability in water: no data available.

12.3. Bioaccumulative potential

D-LIMONENE (5989-27-5)	
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).
BCF - Fish [1]	864.8 – 1022 (Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)

LINALYL ACETATE (115-95-7)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Partition coefficient n-octanol/water (Log Pow)	3.93 (Experimental value)

BENZYL BENZOATE (120-51-4)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
BCF - Fish [1]	2.286 (BCFBAF v3.00, Pisces, QSAR)
Partition coefficient n-octanol/water (Log Pow)	3.97 (Experimental value, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)

ALDEHYDE C 16 (77-83-8)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Partition coefficient n-octanol/water (Log Pow)	2.4 – 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.34 – 2.74 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)

BENZYL ALCOHOL (100-51-6)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Partition coefficient n-octanol/water (Log Pow)	1 – 1.1 (Experimental value, 20 °C)

ETHYL MALTOL (4940-11-8)	
Bioaccumulative potential	No bioaccumulation data available.

12.4. Mobility in soil

D-LIMONENE (5989-27-5)	
Ecology - soil	Adsorbs into the soil.
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)

LINALYL ACETATE (115-95-7)	
Ecology - soil	Adsorbs into the soil.
Partition coefficient n-octanol/water (Log Pow)	3.93 (Experimental value)

BENZYL BENZOATE (120-51-4)	
Surface tension	0.027 N/m (210 °C)
Ecology - soil	Low potential for mobility in soil.
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Partition coefficient n-octanol/water (Log Pow)	3.97 (Experimental value, 25 °C)

ALDEHYDE C 16 (77-83-8)	
Surface tension	59 N/m (19.6 °C, 0.79 g/l, OECD 115: Surface Tension of Aqueous Solutions)
Ecology - soil	Low potential for adsorption in soil.
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.34 – 2.74 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	2.4 – 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)

BENZYL ALCOHOL (100-51-6)	
Surface tension	39 mN/m (20 °C)
Ecology - soil	No (test)data on mobility of the substance available.
Partition coefficient n-octanol/water (Log Pow)	1 – 1.1 (Experimental value, 20 °C)

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

14.1. Basic shipping description

In accordance with TDG

Transportation of Dangerous Goods

UN-No. (TDG) : UN3082

Packing group (TDG) : III - Minor Danger

TDG Primary Hazard Classes : 9 - Class 9 - Miscellaneous Products, Substances or Organisms

Transport document description (TDG) : UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALDEHYDE C 10(112-31-2) ; LIMONENE ; BETA-IONONE(79-77-6)), 9, III

Proper Shipping Name (TDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
ALDEHYDE C 10(112-31-2) ; LIMONENE ; BETA-IONONE(79-77-6)

Hazard labels (TDG) : 9 - Miscellaneous Products, Substances or Organisms

TDG Special Provisions	:	16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or (e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S. (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment: (a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS. 99 - (1) Mixtures of solids that are not dangerous goods and liquids or solids that are UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, may be handled, offered for transport or transported as UN3077 if there is no visible liquid when the dangerous goods are loaded into a means containment and during transport. (2) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport or transporting of less than 450 kg of UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or less than 450 L of UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, on a road vehicle or a railway vehicle. The dangerous goods must be contained in one or more small means of containment designed, constructed, filled, closed, secured and maintained so that under normal conditions of transport, including handling, there will be no accidental release of the dangerous goods that could endanger public safety.
Explosive Limit and Limited Quantity Index	:	5 L
Excepted quantities (TDG)	:	E1

14.2. Transport information/DOT

Department of Transport

Not regulated for transport

14.3. Air and sea transport

IMDG

UN-No. (IMDG)	:	3082
Proper Shipping Name (IMDG)	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description (IMDG)	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALDEHYDE C 10(112-31-2) ; LIMONENE ; BETA-IONONE(79-77-6)), 9, III, MARINE POLLUTANT
Class (IMDG)	:	9 - Miscellaneous dangerous substances and articles
Packing group (IMDG)	:	III - substances presenting low danger

IATA

UN-No. (IATA)	:	3082
Proper Shipping Name (IATA)	:	Environmentally hazardous substance, liquid, n.o.s.
Transport document description (IATA)	:	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (ALDEHYDE C 10(112-31-2) ; LIMONENE ; BETA-IONONE(79-77-6)), 9, III
Class (IATA)	:	9 - Miscellaneous Dangerous Substances and Articles
Packing group (IATA)	:	III - Low danger

SECTION 15: Regulatory information

15.1. National regulations

D-LIMONENE (5989-27-5)

Listed on the Canadian DSL (Domestic Substances List)

CITRAL (5392-40-5)

Listed on the Canadian DSL (Domestic Substances List)

LINALYL ACETATE (115-95-7)

Listed on the Canadian DSL (Domestic Substances List)

BENZYL BENZOATE (120-51-4)
Listed on the Canadian DSL (Domestic Substances List)

ALDEHYDE C 16 (77-83-8)
Listed on the Canadian DSL (Domestic Substances List)

BENZYL ALCOHOL (100-51-6)
Listed on the Canadian DSL (Domestic Substances List)

ETHYL MALTOL (4940-11-8)
Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

D-LIMONENE (5989-27-5)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ENCS (Existing New Chemical Substances) inventory
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

CITRAL (5392-40-5)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ENCS (Existing New Chemical Substances) inventory
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

LINALYL ACETATE (115-95-7)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ENCS (Existing New Chemical Substances) inventory
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

BENZYL BENZOATE (120-51-4)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ENCS (Existing New Chemical Substances) inventory
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

ALDEHYDE C 16 (77-83-8)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ENCS (Existing New Chemical Substances) inventory
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on KECL/KECI (Korean Existing Chemicals Inventory)

BENZYL ALCOHOL (100-51-6)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ENCS (Existing New Chemical Substances) inventory
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on KECL/KECI (Korean Existing Chemicals Inventory)

ETHYL MALTOL (4940-11-8)
Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

SECTION 16: Other information

SDS Major/Minor : None
Issue date : 05/23/2019
Revision date : 10/16/2023
Supersedes : 01/24/2023

Full text of H-phrases:

H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled

SDS Canada (Vectair Systems Inc.)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.