

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) Issue date: 05/23/2019
Revision date: 10/16/2023
Supersedes: 01/24/2023

Version: 2.1

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture

Product name : SENSAMIST PINK VANILLA

CAS-No. : MIXTURE

Product code : SM-32-PK-VANILLA

Product group : Formula

1.2. Recommended use and restrictions on use

1.3. Supplier

Vectair Systems Inc.

2095 Spicer Cove, Covington Way Distribution Centre, Memphis, TN 38134,

Vectair Systems Inc +1 901 373 7818 (during normal office hours)

Product Development: info@vectairsystems.com

1.4. Emergency telephone number

Emergency number : INFOTRAC (US & Canada) 1-800-535-5053 | (International) 1-352-323-3500

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Not classified

2.2. GHS Label elements, including precautionary statements

GHS CA labeling

No labeling applicable

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

10/16/2023 EN (English US) Page 1

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
VANILLIN	VANILLIN 2-methoxy-4-formylphenol / 3- methoxy-4-hydroxy benzaldehyde / 4-formyl-2-methoxyphenol / 4- hydroxy meta-anisaldehyde / 4- hydroxy-5-methoxybenzaldehyde / 4- hydroxy-m-anisaldehyde / 4- hydroxy-/ FEMA No 3107 / lioxin / m-anisaldehyde, 4-hydroxy / meta- anisaldehyde, 4-hydroxy / methylprotocatechualdehyde / methylprotocatechualdehyde / para-hydroxy-meta-methoxy benzaldehyde / p-hydroxy-m- methoxybenzaldehyde / protocatechualdehyde / protocatechualdehyde 3-methyl ether / protocatechualdehyde, methyl- / p-vanillin / vanilla / vanilla aldehyde / vanillaldehyde / vanillic aldehyde / vanillai / zimco	(CAS-No.) 121-33-5	5 – 10	Eye Irrit. 2, H319
2-ethyl-3-hydroxypyran-4-one	2-ethyl-3-hydroxypyran-4-one 2-ethyl pyromeconic acid / 2-ethyl-3- hydroxy-4H-pyran-4-one / 3-hydroxy- 2-ethyl-4-pyrone / 4H-pyran-4-one, 2-ethyl-3-hydroxy- / ethyl maltol / veltol plus	(CAS-No.) 4940-11-8	1 – 5	Acute Tox. 4 (Oral), H302
ETHYL VANILLIN	3-ethoxy-4-hydroxybenzaldehyde / 4-hydroxy-3-ethoxy benzaldehyde / benzaldehyde, 3-ethoxy-4-hydroxy-/ bourbonal / burbonal / ethavan / ethovan / ethyl protocatechuic aldehyde / ethylprotal / ethylvanillin / FEMA No 2464 / protocatechualdehyde ethyl ether / protocatechuic aldehyde ethyl ether / protocatechvaldehyde ethyl ether / quantrovanil / vanaldol / vanillal / vanillin, ethyl- / vanirom / vanirome	(CAS-No.) 121-32-4	1-5	Eye Irrit. 2, H319

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Unsuitable extinguishing media

5.3. Specific hazards arising from the hazardous product

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

10/16/2023 EN (English US) 2/10

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters ALPHA PINENE (80-56-8)

ALPHA PINENE (80-56	-ŏ)	
USA - ACGIH	ACGIH OEL TWA [ppm]	20 ppm
USA - ACGIH	Remark (ACGIH)	TLV® Basis: Lung irr. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen)
USA - ACGIH	Regulatory reference	ACGIH 2018
Saskatchewan	OEL STEL [ppm]	30 ppm
Saskatchewan	OEL TWA [ppm]	20 ppm
Saskatchewan	Notations and remarks	SEN
PROPYLENE GLYCOL	USP (57-55-6)	
Ontario	OEL TWA	155 mg/m³ 10 mg/m³
Ontario	OEL TWA [ppm]	50 ppm
Ontario	Notations and remarks	(V)
Ontario	Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833
Myrcene (123-35-3)		
British Columbia	Notations and remarks	IARC group 2B carcinogen
British Columbia	Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
2,3-BUTANEDIONE (43	11-03-8)	
USA - ACGIH	ACGIH OEL TWA [ppm]	0.01 ppm
USA - ACGIH	ACGIH OEL STEL [ppm]	0.02 ppm
USA - ACGIH	Remark (ACGIH)	TLV® Basis: Lung dam (Bronchiolitis obliterans-like illness). Notations: A4 (Not classifiable as a Human Carcinogen)
USA - ACGIH	Regulatory reference	ACGIH 2018
Alberta	OEL STEL [ppm]	0.02 ppm
Alberta	OEL TWA [ppm]	0.01 ppm
Alberta	Notations and remarks	Lung dam
British Columbia	OEL STEL [ppm]	0.02 ppm
British Columbia	OEL TWA [ppm]	0.01 ppm
British Columbia	Notations and remarks	Lung dam
Manitoba	OEL STEL [ppm]	0.02 ppm
Manitoba	OEL TWA [ppm]	0.01 ppm
Manitoba	Notations and remarks	Lung dam
New Brunswick	OEL STEL [ppm]	0.02 ppm
New Brunswick	OEL TWA [ppm]	0.01 ppm
New Brunswick	Notations and remarks	Lung dam

10/16/2023 EN (English US) 3/10

0.02 ppm

OEL STEL [ppm]

Newfoundland & Labrador

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

2,3-BUTANEDIONE (431-03 Newfoundland & Labrador	OEL TWA [ppm]	0.04 ppm
		0.01 ppm
Newfoundland & Labrador	Notations and remarks	Lung dam
Nova Scotia	OEL STEL [ppm]	0.02 ppm
Nova Scotia	OEL TWA [ppm]	0.01 ppm
Nova Scotia	Notations and remarks	Lung dam
Nunavut	OEL STEL [ppm]	0.02 ppm
Nunavut	OEL TWA [ppm]	0.01 ppm
Nunavut	Notations and remarks	Lung dam
Northwest Territories	OEL STEL [ppm]	0.02 ppm
Northwest Territories	OEL TWA [ppm]	0.01 ppm
Northwest Territories	Notations and remarks	Lung dam
Ontario	OEL STEL [ppm]	0.02 ppm
Ontario	OEL TWA [ppm]	0.01 ppm
Ontario	Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833
Prince Edward Island	OEL STEL [ppm]	0.02 ppm
Prince Edward Island	OEL TWA [ppm]	0.01 ppm
Prince Edward Island	Notations and remarks	Lung dam
DIPROPYLENE GLYCOL M	ETHYLETHER ACETATE (88917-22-0)	
Ontario	OEL STEL	1.164 mg/m³
Ontario	OEL STEL [ppm]	150 ppm
Ontario	OEL TWA	776 mg/m³
Ontario	OEL TWA [ppm]	100 ppm
Ontario	Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833
PROPIONIC ACID (79-09-4)		
USA - ACGIH	ACGIH OEL TWA [ppm]	10 ppm
USA - ACGIH	Remark (ACGIH)	TLV® Basis: Eye, skin, & URT irr
USA - ACGIH	Regulatory reference	ACGIH 2018
Alberta	OEL TWA [ppm]	10 ppm
Alberta	Notations and remarks	Eye, skin, & URT irr
British Columbia	OEL TWA [ppm]	10 ppm
British Columbia	Notations and remarks	Eye, skin, & URT irr
Manitoba	OEL TWA [ppm]	10 ppm
Manitoba	Notations and remarks	Eye, skin, & URT irr
New Brunswick	OEL TWA [ppm]	10 ppm
New Brunswick	Notations and remarks	Eye, skin, & URT irr
Newfoundland & Labrador	OEL TWA [ppm]	10 ppm
Newfoundland & Labrador	Notations and remarks	Eye, skin, & URT irr
Nova Scotia	OEL TWA [ppm]	10 ppm
Nova Scotia	Notations and remarks	Eye, skin, & URT irr
Nunavut	OEL TWA [ppm]	10 ppm
Nunavut	Notations and remarks	Eye, skin, & URT irr
Northwest Territories	OEL TWA [ppm]	10 ppm
Northwest Territories	Notations and remarks	Eye, skin, & URT irr
Ontario	OEL TWA [ppm]	10 ppm
Ontario	Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833
Prince Edward Island	OEL TWA [ppm]	10 ppm

10/16/2023 EN (English US) 4/10

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

PROPIONIC ACID (79-09-4)		
Prince Edward Island	Notations and remarks	Eye, skin, & URT irr
Saskatchewan	OEL STEL [ppm]	15 ppm
Saskatchewan	OEL TWA [ppm]	10 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : No data available

Color : Mixture contains one or more component(s) which have the following colour(s):

Colourless Colourless to light yellow White White to off-white White to light yellow On exposure

to light: discolours

Odor : There may be no odour warning properties, odour is subjective and inadequate to warn of

overexposure.

Mixture contains one or more component(s) which have the following odour:

Pine odour Fruity odour Floral odour Sweet odour Pleasant odour Characteristic odour Peppermint odour Almost odourless Alcohol odour Lemon odour Mild odour Aromatic odour

Odor threshold : No data available pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available

Flash point : ≈ 93.9 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability : Not applicable Vapor pressure : No data available Vapor pressure at 50°C No data available Relative density No data available Solubility No data available Partition coefficient n-octanol/water (Log Pow) : No data available **Explosion limits** : No data available

9.2. Other information

10/16/2023 EN (English US) 5/10

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reactions known under normal conditions of use.

Conditions to avoid : None under recommended storage and handling conditions (see section 7).

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

ETHYL MALTOL (4940-11-8)	
LD50 oral rat	1150 mg/kg (Rat, Oral)
LD50 oral	1200 mg/kg body weight
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Dermal)
ATE CA (oral)	1150 mg/kg body weight

ETHYL VANILLIN (121-32-4)	
LD50 oral rat	> 3160 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	3000 mg/kg body weight
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
ATE CA (oral)	3000 mg/kg body weight

- (/	1 2 2 3 3 7 3
VANILLIN (121-33-5)	
LD50 oral rat	3300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	3300 mg/kg body weight
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LD50 dermal	2600 mg/kg body weight
ATE CA (oral)	3300 mg/kg body weight
ATE CA (Dermal)	2600 mg/kg body weight

 Skin corrosion/irritation
 : Not classified

 Serious eye damage/irritation
 : Not classified

 Respiratory or skin sensitization
 : Not classified

 Germ cell mutagenicity
 : Not classified

 Carcinogenicity
 : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

: Not classified

STOT-repeated exposure

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-

term (acute)

: Not classified

Hazardous to the aquatic environment, long-

term (chronic)

: Not classified

10/16/2023 EN (English US) 6/10

Safety Data Sheet

Ozone

according to the Hazardous Products Regulation (WHMIS 2015)

ETHYL VANILLIN (121-32-4)	
LC50 - Fish [1]	87.6 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Stat system, Fresh water, Read-across, GLP)
ErC50 algae	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Read-across, GLP)
Partition coefficient n-octanol/water (Log Pow)	1.58 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.092 (log Koc, Equivalent or similar to OECD 106, Experimental value)
VANILLIN (121-33-5)	
LC50 - Fish [1]	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Stat system, Fresh water, Experimental value, GLP)
ErC50 algae	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)
2.2. Persistence and degradability	
ETHYL MALTOL (4940-11-8)	
Persistence and degradability	Biodegradability in water: no data available.
ETHYL VANILLIN (121-32-4)	3
Persistence and degradability	Readily biodegradable in water.
ThOD	1.81 g O ₂ /g substance
BOD (% of ThOD)	0.529 (5 day(s), Literature study)
VANILLIN (121-33-5)	
Persistence and degradability	Readily biodegradable in water.
2.3. Bioaccumulative potential	
ETHYL MALTOL (4940-11-8) Bioaccumulative potential	No bioaccumulation data available.
•	140 bioaccumulation data available.
ETHYL VANILLIN (121-32-4)	Low potential for his accumulation (Log Kow & 4)
Bioaccumulative potential Partition coefficient n-octanol/water (Log Pow)	Low potential for bioaccumulation (Log Kow < 4). 1.58 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.092 (log Koc, Equivalent or similar to OECD 106, Experimental value)
VANILLIN (121-33-5)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Partition coefficient n-octanol/water (Log Pow)	1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)
2.4. Mobility in soil	
ETHYL VANILLIN (121-32-4)	
Ecology - soil	Low potential for mobility in soil.
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.092 (log Koc, Equivalent or similar to OECD 106, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	1.58 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
VANILLIN (121-33-5)	
	Low potential for mobility in soil.
Ecology - soil	
Ecology - soil Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)

10/16/2023 EN (English US) 7/10

: Not classified

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 13: Disposal considerations

Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

14.1. **Basic shipping description**

In accordance with TDG

Transportation of Dangerous Goods

UN-No. (TDG) : UN3082

: III - Minor Danger Packing group (TDG)

TDG Primary Hazard Classes : 9 - Class 9 - Miscellaneous Products, Substances or Organisms

: UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Transport document description (TDG)

Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran; BENZYL BENZOATE),

Proper Shipping Name (TDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran; BENZYL

BENZOATE

: 9 - Miscellaneous Products, Substances or Organisms Hazard labels (TDG)



TDG Special Provisions

- 16 (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name:
- (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S;
- (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or
- (e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S
- (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment:
- (a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or
- (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS.

99 - (1) Mixtures of solids that are not dangerous goods and liquids or solids that are UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or UN3082,

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, may be handled, offered for transport or transported as UN3077 if there is no visible liquid when the dangerous goods are loaded into a means containment and during transport.

(2) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport or transporting of less than 450 kg of UN3077, ENVIRONMENTALLY

HAZARDOUS SUBSTANCE, SOLID, N.O.S, or less than 450 L of UN3082,

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, on a road vehicle or a railway vehicle. The dangerous goods must be contained in one or more small means of containment designed, constructed, filled, closed, secured and maintained so that under normal conditions of transport, including handling, there will be no accidental release of the dangerous goods that could endanger public safety.

: 5 L

Explosive Limit and Limited Quantity Index

Excepted quantities (TDG) E1

Transport information/DOT

Department of Transport

Not regulated for transport

10/16/2023 EN (English US) 8/10

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

14.3 Air and sea transport

IMDG

UN-No. (IMDG) : 3082

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (IMDG)

: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-Transport document description (IMDG)

Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran; BENZYL BENZOATE),

9, III, MARINE POLLUTANT

Class (IMDG) : 9 - Miscellaneous dangerous substances and articles

Packing group (IMDG) : III - substances presenting low danger

IATA

: 3082 UN-No. (IATA)

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (1,3,4,6,7,8-Hexahydro-Transport document description (IATA)

4,6,6,7,8,8-hexamethylcyclopenta-gamma-2-benzopyran; BENZYL BENZOATE), 9, III

Class (IATA) : 9 - Miscellaneous Dangerous Substances and Articles

Packing group (IATA) : III - Low danger

SECTION 15: Regulatory information

15.1. National regulations

ETHYL MALTOL (4940-11-8)

Listed on the Canadian DSL (Domestic Substances List)

ETHYL VANILLIN (121-32-4)

Listed on the Canadian DSL (Domestic Substances List)

VANILLIN (121-33-5)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

ETHYL MALTOL (4940-11-8)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

ETHYL VANILLIN (121-32-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

VANILLIN (121-33-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

SECTION 16: Other information

SDS Major/Minor : None Issue date : 05/23/2019 Revision date : 10/16/2023 Supersedes : 01/24/2023

Full text of H-phrases:

H302	Harmful if swallowed
H319	Causes serious eye irritation

10/16/2023 EN (English US) 9/10

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SDS Canada (Vectair Systems In)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

10/16/2023 EN (English US) 10/10