Printing date 05/07/2024

Reviewed on 05/07/2024

1 Identification

- Product identifier EAEDC432
- · Trade name: AIROMA-VANILLA VANILLA BEAN
- Manufacturer article number: EAEDC432
- · Application of the substance / the mixture Air Freshener
- Details of the supplier of the safety data sheet (915)(555)
 Manufacturer/Supplier: Vectair Systems Inc.
 2095 Spicer Cove, Covington Way Distribution Centre, Memphis, TN 38134, USA
- · +1 901 373 7818
- · Information department: Product safety department prod-dev@vectairsystems.com
- · Emergency telephone number:
- · INFOTRAC +1 800 535 5053 INTERNATIONAL +1 352 323 3500

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flammable Aerosols 1

H222 Extremely flammable aerosol.

GHS04 Gas cylinder

Gases under Pressure - Compressed gas H280 Contains gas under pressure; may explode if heated.

GHS07

Eye Irritation 2A Sensitization - Skin 1 H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

- Hazard-determining components of labeling: Fragance Trade Secret (915)
- · Hazard statements
- H222 Extremely flammable aerosol.
- H280 Contains gas under pressure; may explode if heated.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.

(Contd. on page 2)

[–] US

Printing date 05/07/2024

Reviewed on 05/07/2024

Trade name: AIROMA-VANILLA VANILLA BEAN

	(Contd. of page 1)
• Precautionary s	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Pressurized container: Do not pierce or burn, even after use.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P321	Specific treatment (see on this label).
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P410+P403	Protect from sunlight. Store in a well-ventilated place.
P411	Store at temperatures not exceeding $48^{\circ}C/120^{\circ}F$.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· Classification syst	em:
· NFPA ratings (se	cale 0 - 4)
Health = 2	
Fire = 4	
Reactivity = 1	
• HMIS-ratings (s	cale 0 - 4)
<i>Health</i> $= 2$	
Fire = 4	
Reactivity = 1	
• Other hazards	
	nd vPvB assessment
• PBT: Not appli	
• vPvB: Not appl	icable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangero	us components:	
67-64-1	acetone	>50-≤100%
75-28-5	isobutane	>10-≤25%
74-98-6	propane	>2.5-≤10%
106-97-8	butane, pure	≤2.5%
	Fragance Trade Secret (915)	<i>≥l-≤</i> 2.5%

4 First-aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

⁻ US

Printing date 05/07/2024

Reviewed on 05/07/2024

Trade name: AIROMA-VANILLA VANILLA BEAN

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• *After swallowing: If symptoms persist consult doctor.*

• Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available. • Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

• Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol-resistant foam.

• Special hazards arising from the substance or mixture No further relevant information available.

• Advice for firefighters

• Protective equipment: No special measures required.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

• PAC-1: 67-64-1	acetone	200 ppm
	isobutane	5500* ppn
	propane	5500* ppn
	butane, pure	5500* ppn
5989-27-5	(R)-p-mentha-1,8-diene	15 ppm
· PAC-2:		
67-64-1	acetone	3200* ppm
75-28-5	isobutane	17000** ppr
74-98-6	propane	17000** ppn
106-97-8	butane, pure	17000** ppr
5989-27-5	(R)-p-mentha-1,8-diene	67 ppm
· PAC-3:		
67-64-1	acetone	5700* ppm
75-28-5	isobutane	53000*** ppr
74-98-6	propane	33000*** ppr
106-97-8	butane, pure	53000*** ppr
		(Contd. on page

Printing date 05/07/2024

Reviewed on 05/07/2024

Trade name: AIROMA-VANILLA VANILLA BEAN

5989-27-5 (R)-p-mentha-1,8-diene

(Contd. of page 3) 170 ppm

7 Handling and storage

· Handling:

• Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

· Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Conditions for safe storage, including any incompatibilities

• Storage:

• Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-64-1 acetone

PEL Long-term value: 2400 mg/m³, 1000 ppm

REL Long-term value: 590 mg/m³, 250 ppm

TLV Short-term value: 500 ppm Long-term value: 250 ppm A4, BEI

75-28-5 isobutane

TLV Short-term value: 1000 ppm (EX)

74-98-6 propane

PEL Long-term value: 1800 mg/m³, 1000 ppm

REL Long-term value: 1800 mg/m³, 1000 ppm

TLV see Appendix F Minimal oxygen content (D, EX)

106-97-8 butane, pure

- REL Long-term value: 1900 mg/m³, 800 ppm
- TLV Short-term value: 1000 ppm
 - (EX)

(Contd. on page 5)

- US -

Printing date 05/07/2024

Reviewed on 05/07/2024

(Contd. on page 6)

US -

Trade name: AIROMA-VANILLA VANILLA BEAN

· Information on basic physical and chemical properties

Aerosol

According to product specification

General Information Appearance: Form:

· Color:

	· Ingredients with biological limit values:
67	7-64-1 acetone
BI	EI 25 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Acetone (nonspecific)
	Additional information: The lists that were valid during the creation were used as basis.
	cposure controls
	Personal protective equipment:
	General protective and hygienic measures:
	Keep away from foodstuffs, beverages and feed.
	Immediately remove all soiled and contaminated clothing.
	Wash hands before breaks and at the end of work.
	Avoid contact with the eyes.
	Avoid contact with the eyes and skin.
	Breathing equipment:
	In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure
	use respiratory protective device that is independent of circulating air.
	Use suitable respiratory protective device in case of insufficient ventilation.
	Protection of hands:
	Protective gloves
	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation the chemical mixture.
	Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradatio
	· Material of gloves
	The selection of the suitable gloves does not only depend on the material, but also on further marks of quali. and varies from manufacturer to manufacturer. As the product is a preparation of several substances, th resistance of the glove material can not be calculated in advance and has therefore to be checked prior to th application. • Penetration time of glove material
	The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
•	Eye protection:
	Safety glasses
	Tightly sealed goggles

Printing date 05/07/2024

Reviewed on 05/07/2024

Trade name: AIROMA-VANILLA VANILLA BEAN

	(Contd. of page
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
• Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	-44.5 °C (-48.1 °F)
· Flash point:	< 0 °C (< 32 °F)
· Flammability (solid, gaseous):	Not applicable.
· Auto igniting:	460 °C (860 °F)
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
· Lower:	1.8 Vol %
· Upper:	13 Vol %
· Vapor pressure at 20 °C (68 °F):	3,000 hPa (2.300 mm Hg)
· Vapor pressure at 50 °C (122 °F):	800 hPa (600 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
· Solvent content:	
• Organic solvents:	72.1 %
· VOC content:	26.02 %
	260.2 g/l / 2.17 lb/gal
· Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- **Possibility of hazardous reactions** No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

(Contd. on page 7)

____US

(Contd. of page 6)

3

Safety Data Sheet acc. to OSHA HCS

Printing date 05/07/2024

Reviewed on 05/07/2024

Trade name: AIROMA-VANILLA VANILLA BEAN

• *Hazardous decomposition products:* No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-64-1 acetone

Oral LD50 5,800 mg/kg (rat)

Dermal LD50 20,000 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritating effect.

· Sensitization: Sensitization possible through skin contact.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

5989-27-5 (R)-p-mentha-1,8-diene

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

• Toxicity

• Aquatic toxicity: No further relevant information available.

- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

Printing date 05/07/2024

*

Reviewed on 05/07/2024

Trade name: AIROMA-VANILLA VANILLA BEAN

(Contd. of page 7)

· DOT, IMDG, IATA UN1950 · UN proper shipping name Aerosols, flammable · DOT Aerosols, flammable · IMDG AEROSOLS · IATA AEROSOLS, flammable · Transport hazard class(es) - · DOT - • Class 2.1 Gases · Label 2.1 · IMDG, IATA - • Class 2.1 Gases · Label 2.1 · MDG, IATA - • Class 2.1 Gases · Label 2.1 · Secial precautions for user Warning: Gases · Hazard identification number (Kemler code): - - · EMS Number: F-D,S-U · Stowage Code SW2 For AEROSOLS with a maximum capacity of 1 li Category B. For WASTE AEROSOLS: Category C, Clean IV ing quarters. · Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre:	· UN-Number				
• DoT Aerosols, flammable • IMDG AEROSOLS • IATA AEROSOLS, flammable • Transport hazard class(es) • • DOT • • Class 2.1 Gases • Label 2.1 • IMDG, LATA • • Class 2.1 Gases • Label 2.1 • IMDG, LATA • • Class 2.1 Gases • Label 2.1 • Class 2.1 Gases • Label 2.1 • Packing group • • DOT, IMDG, LATA • • Special precautions for user Warning: Gases • Hazard identification number (Kemler code): - • • EMS Number: · • Special precautions for user F-D,S-U • Stownge Code SU22 For AEROSOLS with a maximum capacity of 1 line: · Category 9. For WASTE AEROSOLS: Category C, Cleas Ilving quarters. • Segregation Code SG69 For AEROSOLS with a capacity dowe 1 line: · Segregation Code SG69 For AEROSOLS with a capacity dow 1 line: · Segregation as for the appropriate subdivision of class 2. <t< th=""><th></th><th>UN1950</th></t<>		UN1950			
DOT Aerosols, flammable IMDG AEROSOLS IATA AEROSOLS, flammable Transport hazard class(es) . DOT . . Class . Label 2.1 Class 2.1 . Label . Class . Label . Class . Label . Class . Label . Class . Label . Dot . Packing group . Dot, IMDG, LATA . Not applicable. . Special precautions for user . Hazard itdentification number (Kemler code): - . F.D.S-U . Stowage Code . Subject for Master AEROSOLS with a maximum capacity of 1 line: . Category B. For WASTE AEROSOLS with a capacity above 1 line: . Segregation Code SG69 For AEROSOLS with a capacity above 1 line: . Segregation as for the appropriate subdivision of cl	· UN proper shipping name				
· HATA AEROSOLS, flammable · Transport hazard class(es) . · DOT		Aerosols, flammable			
Transport hazard class(es) DOT • DOT • Class 2.1 Gases · Label 2.1 • MDG, IATA • Class 2.1 Gases • Label 2.1 • Class 2.1 Gases • Label 2.1 • Packing group 2.1 • DOT, IMDG, IATA not regulated • Dot, IMDG, IATA not regulated • Dot, IMDG, IATA not regulated • Special precautions for user Warning: Gases • Hazard identification number (Kemler code): - F.D.S.U • Stowage Code SW22 For AEROSOLS with a maximum capacity of 1 ling • Stowage Code SW22 For AEROSOLS with a capacity above 1 line: • Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 line: • Segregation Code SG69 For AEROSOLS with a capacity above 1 line: • Segregation Code Segregation as for the appropriate subdivision of class 2. • For MASTE AEROSOLS Sub a soft the appropriate subdivision of class 2. • Transport in bulk according to Annex II of Not applicable. • DOT Not applicable. • Transport in bulk according to Annex I	·IMDG				
• DOT • Class 2.1 Gases • Label 2.1 • MDG, LATA • Class 2.1 Gases • Label 2.1 • Class 2.1 Gases • Label 2.1 • Packing group 0.1 • DOT, IMDG, LATA not regulated • Dort, IMDG, LATA not regulated • Brownental hazards: Not applicable. • Special precautions for user Warning: Gases • Hazard identification number (Kemler code): - F.D.S.U • Stowage Code SW22 For AEROSOLS with a maximum capacity of 1 lit • Category B. For WASTE AEROSOLS: Category C, Cleat living quarters. • Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: • Segregation Code SG69 For AEROSOLS with a capacity above 1 litre: • Segregation Code SG69 For AEROSOLS with a capacity above 1 litre: • Segregation Code SG69 For AEROSOLS with a capacity above 1 litre: • Segregation Code SG69 For AEROSOLS with a capacity above 1 litre: • Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS • Transport in bulk according to Annex II of MARPOL737/8 and the IBC Code	·IATA	AEROSOLS, flammable			
Class 2.1 Gases 2.1 Class 2.1 Class 2.1 Class 2.1 Class 2.1 Class 2.1 Class Class 2.1 Class C	· Transport hazard class(es)				
· Label 2.1 · IMDG, IATA • MDG, IATA • Class 2.1 Gases · Label 2.1 • Class 2.1 Gases · Label 2.1 • Packing group not regulated • DOT, IMDG, IATA not regulated • Environmental hazards: Not applicable. • Special precautions for user Warning: Gases • Hazard identification number (Kemler code): - • F-D,S-U • Stowage Code SW22 For AEROSOLS with a maximum capacity of 1 li Category B. For VASTE AEROSOLS: Category C, Clean living quarters. • Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: • DOT Not applicable.	·DOT				
· Label 2.1 · IMDG, IATA • MDG, IATA • Class 2.1 Gases · Label 2.1 • Class 2.1 Gases · Label 2.1 • Packing group not regulated • DOT, IMDG, IATA not regulated • Environmental hazards: Not applicable. • Special precautions for user Warning: Gases • Hazard identification number (Kemler code): - • F-D,S-U • Stowage Code SW22 For AEROSOLS with a maximum capacity of 1 li Category B. For VASTE AEROSOLS: Category C, Clean living quarters. • Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: • DOT Not applicable.					
IMDG, IATA View • Class 2.1 Gases • Label 2.1 • Packing group 2.1 • DOT, IMDG, IATA not regulated • Environmental hazards: Not applicable. • Special precautions for user Warning: Gases • Hazard identification number (Kemler code): - F-D,S-U • EMS Number: F-D,S-U • Stowage Code SW22 For AEROSOLS with a maximum capacity of 1 lit • Stowage Code SW22 For AEROSOLS with a capacity above 1 lit • Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: • Segregation Code Segregation a for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: • DOT	· Class	2.1 Gases			
Class Class Label Class Label Class Label Class Label Class Label Class Label Class Class Label Class C	·Label	2.1			
· Label 2.1 · Packing group .DOT, IMDG, IATA · DOT, IMDG, IATA not regulated · Environmental hazards: Not applicable. · Special precautions for user Warning: Gases · Hazard identification number (Kemler code): - - · SMS Number: F-D,S-U · Stowage Code SW22 For AEROSOLS with a maximum capacity of 1 lit. Category A. For AEROSOLS: Category C, Cleat. living quarters. · Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS: with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT	· IMDG, IATA				
• DOT, TMDG, IATA not regulated • Environmental hazards: Not applicable. • Special precautions for user Warning: Gases • Hazard identification number (Kemler code): - F-D,S-U • EMS Number: F-D,S-U • Stowage Code SW22 For AEROSOLS with a maximum capacity of 1 li. Category A. For AEROSOLS with a capacity above 1 li. Category B. For WASTE AEROSOLS: Category C, Clear living quarters. • Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: • DOT Not applicable.					
 Special precautions for user Warning: Gases Hazard identification number (Kemler code): - EMS Number: F-D,S-U Stowage Code SW22 For AEROSOLS with a maximum capacity of 1 lit. Category A. For AEROSOLS with a capacity above 1 lit. Category B. For WASTE AEROSOLS: Category C, Clear living quarters. Segregation Code Segregation Code Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. 	· Packing group · DOT, IMDG, IATA	not regulated			
 Hazard identification number (Kemler code): - EMS Number: Stowage Code Stowage Code Sw22 For AEROSOLS with a maximum capacity of 1 lit. Category A. For AEROSOLS with a capacity above 1 lit. Category B. For WASTE AEROSOLS: Category C, Clear living quarters. Segregation Code Segregation Code Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. 	· Environmental hazards:	Not applicable.			
EMS Number:F-D,S-UStowage CodeSW22 For AEROSOLS with a maximum capacity of 1 li. Category A. For AEROSOLS with a capacity above 1 li. Category B. For WASTE AEROSOLS: Category C, Cleat living quarters.Segregation CodeSG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information: DOTJOT					
• Stowage CodeSW22 For AEROSOLS with a maximum capacity of 1 li. Category A. For AEROSOLS with a capacity above 1 li. Category B. For WASTE AEROSOLS: Category C, Clear living quarters.• Segregation CodeSG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.• Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.• Transport/Additional information: • DOTVot applicable.					
 Segregation Code Segregation Code Segregation Code Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. 					
Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: • DOT		Category A. For AEROSOLS with a capacity above 1 litr Category B. For WASTE AEROSOLS: Category C, Clear living quarters.			
Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: • DOT		Segregation as for class 9. Stow "separated from" class except for division 1.4.			
Segregation as for the appropriate subdivision of class 2. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: • DOT		Segregation as for the appropriate subdivision of class 2.			
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT 					
MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: • • DOT •					
·DOT		Not applicable.			
	• Transport/Additional information:				
	·DOT				
On cargo aircraft only: 150 kg		On passenger aircraft/rail: 75 kg			

- US -

Safety Data Sheet acc. to OSHA HCS

Printing date 05/07/2024

Reviewed on 05/07/2024

Trade name: AIROMA-VANILLA VANILLA BEAN

			(Contd. of p
	uantities (LQ) quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity	
UN "Model	Regulation":	UN 1950 AEROSOLS, 2.1	
Regulatory	, information		
		gulations/legislation specific for the substance or mixt	ure
No further re • Sara	levant information avail	able.	
	355 (extremely hazardoi	is substances):	
None of the in	ngredients is listed.		
· Section 3	313 (Specific toxic chem	ical listings):	
None of the in	ngredients is listed.		
· TSCA (To	xic Substances Control	Act):	
67-64-1			ACT
75-28-5			ACT
74-98-6			ACT
	butane, pure		ACT
25265-71-8 78-70-6	Dipropylene glycol (ison	ner unspecified)	ACT
			AC7 AC7
5392-40-5	(R)-p-mentha-1,8-diene		ACT
	Hydroxycitronellal		ACT
	us Air Pollutants		
-	ngredients is listed.		
· Propositio	0		
· Chemica	ls known to cause canc	er:	
None of the in	ngredients are listed.		
· Chemica	ls known to cause repro	oductive toxicity for females:	
None of the in	ngredients is listed.		
· Chemica	ls known to cause repro	oductive toxicity for males:	
None of the in	ngredients is listed.		
· Chemica	ls known to cause devel	lopmental toxicity:	
None of the in	ngredients is listed.		
· Carcinoge	nic categories		
· EPA (En	wironmental Protection	Agency)	
67-64-1 acet	one		
· TLV (Th	reshold Limit Value)		
67-64-1 acet	one		

Printing date 05/07/2024

Reviewed on 05/07/2024

Trade name: AIROMA-VANILLA VANILLA BEAN

(Contd. of page 9)

US

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- Contact: +52 33 3688 0850
- Date of preparation / last revision 05/07/2024 / 6 • Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Aerosols 1: Aerosols – Category 1 Gases under Pressure - Compressed gas: Gases under pressure - Compressed gas Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Sensitization - Skin 1: Skin sensitisation - Category 1 * * Data compared to the previous version altered.