

Safety Data Sheet

		ding to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Version: 6.1 date: 04/04/2019 Revision date: 01/24/2023 Supersedes: 01/24/2023
SECTION 1: Identifica	ntion	
1.1. Identification		
Product form		: Mixture
Product name		: SENSAMIST BLACKBERRY SAGE
CAS-No.		: MIXTURE
Product code		: SM-32-BLACK-SAGE
1.2. Recommended us	se and restriction	ons on use
No additional information ava	ailable	
1.3. Supplier		
Vectair Systems Inc. 2095 Spicer Cove, Covington	n Way Distributio	n Centre, Memphis, TN 38134, USA
Vectair Systems Inc +1 901 Product Development: info@		
1.4. Emergency telep	hone number	
Emergency number		: INFOTRAC (US & Canada) 1-800-535-5053 (International) 1-352-323-3500
SECTION 2: Hazard(s) identif <u>icati</u>	bn
2.1. Classification of	the substance of	r mixture
GHS US classification		
Flammable liquids	H227	Combustible liquid
Category 4 Skin corrosion/irritation	H315	Causes skin irritation
Category 2		
Serious eye damage/eye irritation Category 2	H319	Causes serious eye irritation
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Full text of H statements : se	e section 16	
2.2. GHS Label eleme	nts including r	recautionary statements
GHS US labeling	into, including p	
Hazard pictograms (GHS US	3)	
	,	
Signal word (GHS US)		: Warning
Hazard statements (GHS US	6)	: H227 - Combustible liquid
		H315 - Causes skin irritation H317 May cause an allorgic skin reaction
		H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation
Precautionary statements (G	HS US)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands, forearms and face thoroughly after handling.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P370+P378 - In case of fire: Use media other than water to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
DIETHYL MALONATE	(CAS-No.) 105-53-3	5 – 10	Flam. Liq. 4, H227 Eye Irrit. 2, H319
HEXYL CINNAMAL	(CAS-No.) 101-86-0	1 – 5	Skin Sens. 1B, H317
BENZYL BENZOATE	(CAS-No.) 120-51-4	1 – 5	Acute Tox. 4 (Oral), H302
LINALOOL	(CAS-No.) 78-70-6	1 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
AMYL CINNAMIC ALDEHYDE	(CAS-No.) 122-40-7	1 – 5	Skin Sens. 1B, H317
ALLYL CAPROATE	(CAS-No.) 123-68-2	1 – 5	Flam. Liq. 4, H227 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 2 (Inhalation:dust,mist), H330
FRUCTONE	(CAS-No.) 6413-10-1	1 – 5	Flam. Liq. 4, H227 Skin Corr. 1C, H314 Eye Dam. 1, H318
LIMONENE	(CAS-No.) 5989-27-5	1 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
DAMASCENONE	(CAS-No.) 23696-85-7	< 0.5	Skin Irrit. 2, H315 Skin Sens. 1A, H317

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.		
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.		
4.2. Most important symptoms and effect	ts (acute and delayed)		
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.		
Symptoms/effects after eye contact	: Eye irritation.		
4.3. Immediate medical attention and special treatment, if necessary			
Treat symptomatically.			
SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguish	ing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Specific hazards arising from the chemical			
Fire hazard	: Combustible liquid.		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3.	Special protective equipment and	precautions for fire-fighters
Protecti	on during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECT	ION 6: Accidental release mea	asures
6.1.	Personal precautions, protective e	quipment and emergency procedures
6.1.1.	For non-emergency personnel	
Emerge	ncy procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
6.1.2.	For emergency responders	
Protecti	ve equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2.	Environmental precautions	
Avoid re	elease to the environment.	
6.3.	Methods and material for containm	nent and cleaning up
Method	s for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other in	formation	: Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	
For furth	ner information refer to section 13.	
SECT	ION 7: Handling and storage	
7.1.	Precautions for safe handling	
Precaut	ions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene	e measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2.	Conditions for safe storage, includ	ling any incompatibilities
Storage	conditions	: Store in a well-ventilated place. Keep cool.
SECT	ION 8: Exposure controls/pers	sonal protection
8.1.	Control parameters	
	ool (78-70-6)	
<u> </u>		
	L CAPROATE (123-68-2) pplicable	
· · ·	•	
	CINNAMIC ALDEHYDE (122-40-7)	
· · ·	•	
	SCENONE (23696-85-7) pplicable	
<u> </u>	IYL MALONATE (105-53-3)	
	pplicable	
· · ·	•	
	TONE (6413-10-1) pplicable	
· ·	•	
	L CINNAMIC ALDEHYDE (101-86-0) pplicable	
nora	piloupio	

BENZYL BENZOATE (120-51-4)

Not applicable

D-LIMONENE (5989-27-5) Not applicable

10/16/2023

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.Environmental exposure controls: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and c		
Physical state	Liquid	
Color	Mixture contains one or more component(s) which have the following colour(s): Colourless Colourless to light yellow On exposure to air: yellow Light yellow to colourless On exposure to light: yellow White to off-white light yellow Colourless to yellow White to I yellow On exposure to light: discolours Colourless to brown	
Odor	There may be no odour warning properties, odour is subjective and inadequate to warn o overexposure. Mixture contains one or more component(s) which have the following odour: Pleasant odour Pine odour Floral odour Unpleasant odour Irritating/pungent odour Swee Fruity odour Characteristic odour Aromatic odour Mild odour Lemon odour Almost odourI Phenol odour Alcohol odour Strong odour Peppermint odour	t odour
Odor threshold	No data available	
рН	No data available	
Melting point	No data available	
Freezing point	No data available	
Boiling point	No data available	
Flash point	≈ 82.9 °C	
Relative evaporation rate (butyl acetate=1)	No data available	
Flammability	Not applicable.	
Vapor pressure	No data available	
Relative vapor density at 20°C	No data available	
Relative density	No data available	
Solubility	No data available	
Partition coefficient n-octanol/water (Log Pow)	No data available	
Auto-ignition temperature	No data available	
Decomposition temperature	No data available	
No data availableViscosity, kinematic	No data available	
Viscosity, dynamic	No data available	
Explosion limits	No data available	

Safety Data Sheet

ccording to Federal Register / Vol. 77, No. 58 / Mond	ay, March 26, 2012 / Rules and Regulations	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2. Other information		
No additional information available		
SECTION 40: Stability and reactivi	4	
SECTION 10: Stability and reactivi	Lý	
10.1. Reactivity		
The product is non-reactive under normal con-	ditions of use, storage and transport.	
10.2. Chemical stability		
04-14-00-14-00-14-00-14-00-14-00-14-00-00-14-00-00-00-00-00-00-00-00-00-00-00-00-00		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No dangerous reactions known under normal	conditions of use.	
10.4. Conditions to avoid		
Avoid contact with hot surfaces. Heat. No flam	nes, no sparks. Eliminate all sources of ignition.	
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition produc	cts	
	nazardous decomposition products should not be produced.	
SECTION 11: Toxicological inform		
11.1. Information on toxicological effect		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Linalool (78-70-6)		
LD50 oral rat	2790 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	5610 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))	
ATE US (oral)	2790 mg/kg body weight	
ATE US (dermal)	5610 mg/kg body weight	
ALLYL CAPROATE (123-68-2)		
LD50 oral rat	218 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	820 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal, 14 day(s))	
LC50 Inhalation - Rat	0.297 mg/l (1 - 8 h, Rat, Male, Experimental value, Inhalation (vapours), 10 day(s))	
ATE US (oral)	218 mg/kg body weight	
ATE US (dermal)	300 mg/kg body weight	
ATE US (gases)	700 ppmV/4h	
ATE US (vapors)	0.297 mg/l/4h	
ATE US (dust, mist)	0.297 mg/l/4h	
AMYL CINNAMIC ALDEHYDE (122-40-7)		
LD50 oral rat	3730 mg/kg (Rat, Oral)	
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Dermal)	
ATE US (oral)	3730 mg/kg body weight	
DAMASCENONE (23696-85-7)		
ATE US (dermal)	2900 mg/kg body weight	
DIETHYL MALONATE (105-53-3)		
LD50 oral rat	15794 mg/kg (Rat, Oral)	
LD50 dermal rabbit	> 16960 mg/kg (Rabbit, Dermal)	
ATE US (oral)	15794 mg/kg body weight	

Safety Data Sheet

HEXYL CINNAMIC ALDEHYDE (101-86-0)		
ATE US (oral)	3100 mg/kg body weight	
BENZYL BENZOATE (120-51-4)		
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)	
ATE US (oral)	1500 mg/kg body weight	
ATE US (dermal)	4000 mg/kg body weight	
D-LIMONENE (5989-27-5)		
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)	
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	

D-LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	Not classified
STOT-single exposure	Not classified

STOT-repeated exposure	: Not classified
Linalool (78-70-6)	
NOAEL (dermal,rat/rabbit,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

FRUCTONE (6413-10-1)	
NOAEL (oral,rat,90 days)	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
Linalool (78-70-6)		
LC50 - Fish [1]	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)	
EC50 - Crustacea [1]	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)	
ErC50 algae	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)	
ALLYL CAPROATE (123-68-2)		
LC50 - Fish [1]	0.117 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ALLYL CAPROATE (123-68-2)			
EC50 - Crustacea [1]	2 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)		
ErC50 algae	> 4.6 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)		
AMYL CINNAMIC ALDEHYDE (122-40-7)			
LC50 - Fish [1]	3 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio, Experimental value)		
EC50 - Crustacea [1]	1.1 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 96 h, Daphnia magna, Experimental value)		
DIETHYL MALONATE (105-53-3)			
LC50 - Fish [1]	11.8 mg/l (96 h, Pimephales promelas)		
EC50 - Crustacea [1]	202.3 mg/l (48 h, Daphnia magna, Static system)		
FRUCTONE (6413-10-1)			
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
BENZYL BENZOATE (120-51-4)			
LC50 - Fish [1]	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)		
EC50 - Crustacea [1]	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)		
D-LIMONENE (5989-27-5)			
LC50 - Fish [1]	720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)		
EC50 - Crustacea [1]	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)		
12.2. Persistence and degradability			
Linalool (78-70-6)			
Persistence and degradability	Readily biodegradable in water.		

Persistence and degradability	Readily biodegradable in water.	
ALLYL CAPROATE (123-68-2)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	2.05 g O ₂ /g substance	
AMYL CINNAMIC ALDEHYDE (122-40-7)		
Persistence and degradability	Biodegradability in soil: no data available. Readily biodegradable in water.	
DIETHYL MALONATE (105-53-3)		
Persistence and degradability	Readily biodegradable in water.	
BENZYL BENZOATE (120-51-4)		
Persistence and degradability	Readily biodegradable in water.	
D-LIMONENE (5989-27-5)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	3.29 g O ₂ /g substance	

12.3. Bioaccumulative potential

Linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
ALLYL CAPROATE (123-68-2)	
BCF - Fish [1]	59.2 – 102.3 l/kg (BCFBAF v3.01, Pisces, QSAR)
Partition coefficient n-octanol/water (Log Pow)	3.191 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
AMYL CINNAMIC ALDEHYDE (122-40-7)	
BCF - Fish [1]	586 (Pisces, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	4.33 – 4.7 (Literature study)
Bioaccumulative potential	Potential for bioaccumulation ($500 \le BCF \le 5000$).
10/16/2022	EN / (English LIQ) 7/42

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DIETHYL MALONATE (105-53-3)	0.00
Partition coefficient n-octanol/water (Log Pow)	0.96
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
BENZYL BENZOATE (120-51-4)	
BCF - Fish [1]	2.286 (BCFBAF v3.00, Pisces, QSAR)
Partition coefficient n-octanol/water (Log Pow)	3.97 (Experimental value, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
D-LIMONENE (5989-27-5)	
BCF - Fish [1]	864.8 – 1022 (Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation ($4 \ge Log$ Kow ≤ 5).
2.4. Mobility in soil	
Linalool (78-70-6)	
Surface tension	8.3 mN/m (20 °C, ISO 9101: Surface active agents - Determination of interfacial tension)
Ecology - soil	No (test)data on mobility of the substance available.
ALLYL CAPROATE (123-68-2)	
Ecology - soil	No (test)data on mobility of the substance available.
AMYL CINNAMIC ALDEHYDE (122-40-7)	
Ecology - soil	Low potential for mobility in soil.
DIETHYL MALONATE (105-53-3)	
Ecology - soil	May be harmful to plant growth, blooming and fruit formation.
BENZYL BENZOATE (120-51-4)	
Surface tension	0.027 N/m (210 °C)
Organic Carbon Normalized Adsorption	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on
Coefficient (Log Koc)	Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.
D-LIMONENE (5989-27-5)	
	Adsorbs into the soil.

No additional information available

SECTION 13: Disposal consideratio	ns	
13.1. Disposal methods		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions	
SECTION 14: Transport information		
Department of Transportation (DOT) In accordance with DOT		
Not regulated		
Transportation of Dangerous Goods		
Transport document description (TDG)	: UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXYL CINNAMAL; 2-tert-Butylcyclohexyl acetate), 9, III	
UN-No. (TDG)	: UN3082	
Proper Shipping Name (TDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	
TDG Primary Hazard Classes	: 9 - Class 9 - Miscellaneous Products, Substances or Organisms	
Packing group (TDG)	: III - Minor Danger	
10/16/2023	EN (English US)	8/12

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG Special Provisions	 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d) UN3248, MEDICINE, LIQUID, TOXIC, N.O.S. (a) UN2841, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS,99 - (1) Mixtures of solids that are not dangerous goods and liquids or solids that are UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or IUN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or less than 450 L of UN3072, First and solid and period goods and Part 2 (Classification), do not apply to the handling, offering for transport. (2) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), S, on a road vehicle or a railway vehicle. The dangerous goods must be contained in one or more small means
Explosive Limit and Limited Quantity Index	goods that could endanger public safety. : 5 L
Transport by sea	
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXYL CINNAMAL ; 2-tert-Butylcyclohexyl acetate), 9, III, MARINE POLLUTANT
UN-No. (IMDG)	: 3082
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class (IMDG)	: 9 - Miscellaneous dangerous substances and articles
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5 L
Air transport	
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (HEXYL CINNAMAL; 2-tert- Butylcyclohexyl acetate), 9, III
UN-No. (IATA)	: 3082
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Class (IATA)	9 - Miscellaneous Dangerous Substances and Articles
Packing group (IATA)	: III - Low danger
CECTION 45. Domulatory informatio	

SECTION 15: Regulatory information

15.1. US Federal regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic

Substances Control Act (TSCA) inventory		
LINALOOL	CAS-No. 78-70-6	1 – 5%
ALLYL CAPROATE	CAS-No. 123-68-2	1 – 5%
AMYL CINNAMIC ALDEHYDE	CAS-No. 122-40-7	1 – 5%
DAMASCENONE	CAS-No. 23696-85-7	< 0.5%
DIETHYL MALONATE	CAS-No. 105-53-3	5 – 10%
FRUCTONE	CAS-No. 6413-10-1	1 – 5%
HEXYL CINNAMAL	CAS-No. 101-86-0	1 – 5%
BENZYL BENZOATE	CAS-No. 120-51-4	1 – 5%
LIMONENE	CAS-No. 5989-27-5	1 – 5%

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-	CAS-No. 1222-05-5	1 – 5%
gamma-2-benzopyran		

15.2. International regulations

CANADA

Linalool (78-70-6)
Listed on the Canadian DSL (Domestic Substances List)
ALLYL CAPROATE (123-68-2)
Listed on the Canadian DSL (Domestic Substances List)
AMYL CINNAMIC ALDEHYDE (122-40-7)
Listed on the Canadian DSL (Domestic Substances List)
DAMASCENONE (23696-85-7)
Listed on the Canadian DSL (Domestic Substances List)
DIETHYL MALONATE (105-53-3)
Listed on the Canadian DSL (Domestic Substances List)
FRUCTONE (6413-10-1)
Listed on the Canadian DSL (Domestic Substances List)
HEXYL CINNAMIC ALDEHYDE (101-86-0)
Listed on the Canadian DSL (Domestic Substances List)
BENZYL BENZOATE (120-51-4)
Listed on the Canadian DSL (Domestic Substances List)
D-LIMONENE (5989-27-5)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations No additional information available

National regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations	
Linalool (78-70-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: A Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in Listed on KECI (Korean Existing Chemicals Inventory) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the EC Inventory Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inve	China)
ALLYL CAPROATE (123-68-2)	
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the EC Inventory Listed on the EC Inventory Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inve Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on KECI (Korean Existing Chemicals Inventory)	
AMYL CINNAMIC ALDEHYDE (122-40-7)	
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the EC Inventory Listed on the EC Inventory Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inve Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on KECI (Korean Existing Chemicals Inventory)	
DAMASCENONE (23696-85-7)	
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the EC Inventory Listed on the EC Inventory Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inve	
DIETHYL MALONATE (105-53-3)	
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the EC Inventory Listed on the EC Inventory Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inve Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on KECI (Korean Existing Chemicals Inventory)	
FRUCTONE (6413-10-1)	
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the EC Inventory Listed on the EC Inventory Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inve Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on KECI (Korean Existing Chemicals Inventory)	,

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to rederal Register / vol. //, No. 56 / Monday, March 20, 2012 / Rules and Regulations	
HEXYL CINNAMIC ALDEHYDE (101-86-0)	
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the EC Inventory Listed on the EC Inventory Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on KECI (Korean Existing Chemicals Inventory)	
BENZYL BENZOATE (120-51-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECI (Korean Existing Chemicals Inventory) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the EC Inventory Listed on the Australian HSIS Consolidated List Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)	
D-LIMONENE (5989-27-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on KECI (Korean Existing Chemicals Inventory) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the EC Inventory Listed on the Australian HSIS Consolidated List Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)	

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 01/24/2023

Full text of H-phrases:

H226	Flammable liquid and vapor
H227	Combustible liquid
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H331	Toxic if inhaled

SDS US (Vectair Systems Inc)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.