



Version: 2 (12/10/2023)

### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** V-Air Solid Evo-Linen Breeze VEVO LINEN

Version: 2

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

Product identifier: V-Air Solid Evo-Linen Breeze VEVO LINEN(Contains:2,4-Dimethyl-3-cyclohexen-1-

carboxaldehyde, 4-tert-Butylcyclohexyl acetate, Cinnamaldehyde, d-Limonene)

Other identifiers: VA-21-157

Unique Formula Identifier (UFI):

1GM0-70CM-D00C-7Y83

1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Air Freshener, For Professional use only.

Uses advised against: Use only for intended applications

1.3 Details of the supplier of the safety data sheet

Company name: Vectair Systems Ltd

Company address: Unit 3, Trident Centre, Armstrong Road, Basingstoke, Hampshire, RG24 8NU, UK

**Contact:** Product Development

**E-Mail address:** prod-dev@vectairsystems.com

**Company phone:** +44 (0) 1256 319500 (Office Hours 09:00 to 17:00)

1.4 Emergency telephone number

**Emergency phone:** [UK]111;[IE]+353 (0)1 809 2166;[BE]+32 (0)70 245 245;[BG]+359 (0)2 9154 233;[CZ]+420 224

919 293/+420 224 915 402;[DK]+45 8212 1212;[AT]+43 (0)1 406 43 43;[GR]+30 210 779 3777; [ES]+34 91 562 04 20;[EE][LV][SI][SE]112;[FI]+358 (0)9 471 977;[FR]+33 (0)1 45 42 59 59; [HR]+385 (0)1 23-48-342;[HU]+36 (06) 80 201-199;[IS]+354 543 2222;[IT]0016506 68593726; [LT]+370 (8)5 236 20 52/+370 (8)6 875 33 78;[NL]+31 (0)30 274 8888;[NO]+47 22 59 13 00;

[PT]800 250 250;[RO]+40 (0)21 318 36 06;[SK]+421(0)254774166

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

#### Classification under Regulation (EC) No 1272/2008

Class and category of Sensitization - Skin Category 1

danger: H317, May cause an allergic skin reaction.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Warning.

**Hazard statements:** H317, May cause an allergic skin reaction.

**Supplemental** EUH208, Contains (Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one, 10-Undecenal, Citral, Eugenol, **Information:** Geraniol, Isocyclocitral, Linalool, Linalyl acetate, Longifolene, alpha-Pinene, beta-Pinene,

Vectair Systems Ltd, Unit 3, Trident Centre, Armstrong Road, Basingstoke, Hampshire, RG24 8NU, UK





Version: 2 (12/10/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** V-Air Solid Evo-Linen Breeze VEVO LINEN

Version: 2

omega-Pentadecalactone. May produce an allergic reaction.

**Precautionary** statements:

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.

**Pictograms:** 

#### 2.3 Other hazards

Other hazards: Sensitisers declared on a CLP

Hazard Label:

(Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one, 10-Undecenal, Citral, Eugenol, Geraniol, Isocyclocitral, Linalool, Linalyl

acetate, Longifolene, alpha-Pinene, beta-Pinene, omega-

Pentadecalactone

Hydrocarbon Concentration %: 1.9000%

### Section 3. Composition / information on ingredients

### 3.2 Mixtures

#### Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
4-tert-Butylcyclohexyl acetate	32210-23-4	250-954-9		1-<5%	Skin Sens. 1B;H317,-	oral: ATE = 3370 mg/kg bw
Benzyl acetate	140-11-4	205-399-7		1-<5%	Aquatic Chronic 3; H412,-	oral: ATE = 2490 mg/kg bw
d-Limonene	5989-27-5, 138-86-3, 5989-54-8	227-813-5, 205-341-0, 227-815-6		1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 3; H226-H304-H315- H317-H400-H412,-	M = 1
Dihydromyrcenol	18479-58-8	242-362-4		1-<5%	Skin Irrit. 2-Eye Irrit. 2; H315-H319,-	oral: ATE = 3600 mg/kg bw
2,4-Dimethyl-3- cyclohexen-1- carboxaldehyde	68039-49-6	268-264-1		1-<5%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B-Aquatic Chronic 2;H315-H317- H319-H411,-	oral: ATE = 3900 mg/kg bw
(Z)-3,4,5,6,6- Pentamethylhept-3-en- 2-one	81786-73-4	279-822-9		1-<5%	Skin Sens. 1B-Aquatic Chronic 2;H317-H411,-	
Carrageenan	2593-40-5, 9000-07-1	232-524-2		1-<5%	Acute Tox. 4;H312,-	



Issue date: 22/02/2024 Version: 2 (12/10/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** V-Air Solid Evo-Linen Breeze VEVO LINEN

Version: 2

beta-Pinene	127-91-3	204-872-5	0.1-<1%	H226-H304-H315- H317-H410,-	M = 1-M = 1
alpha-Pinene	80-56-8, 7785-26-4	201-291-9	0.1-<1%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1- Aquatic Chronic 1; H226-H302-H304- H315-H317-H410,-	M = 1-M = 1-oral: ATE = 500 mg/kg bw
Linalyl acetate	115-95-7	204-116-4	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B;H315-H317,-	
Linalool	78-70-6	201-134-4	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B;H315- H317-H319,-	oral: ATE = 2790 mg/kg bw
Longifolene	475-20-7	207-491-2	0.1-<1%	Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H304-H317-H410,-	M = 1-M = 1
Citral	5392-40-5	226-394-6	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1;H315- H317-H319,-	
Benzyl benzoate	120-51-4	204-402-9	0.1-<1%	Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 2;H302-H400- H411,-	oral: ATE = 1160 mg/kg bw
16-Hydroxy-7- hexadecenoic acid lactone	123-69-3	204-644-5	0.1-<1%	Aquatic Acute 1- Aquatic Chronic 1; H410,-	M = 10-M = 10
10-Undecenal	112-45-8	203-973-1	0.1-<1%	Skin Sens. 1B-Aquatic Chronic 3;H317-H412,-	
Cinnamaldehyde	104-55-2, 57194-69-1	203-213-9	0.1-<1%	Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1A-Aquatic Chronic 3;H312-H315- H317-H319-H412,-	dermal: ATE = 1100 mg/kg bw-oral: ATE = 2200 mg/kg bw
Isocyclocitral	1335-66-6, 1423-46-7	215-638-7	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B-Aquatic Chronic 3;H315-H317- H319-H412,-	oral: ATE = 3220 mg/kg bw
omega- Pentadecalactone	106-02-5	203-354-6	0.1-<1%	Skin Sens. 1B-Aquatic Chronic 2;H317-H411,-	
Eugenol	97-53-0	202-589-1	0.1-<1%	Eye Irrit. 2-Skin Sens. 1B;H317-H319,-	oral: ATE = 2500 mg/kg bw
Geraniol	106-24-1	203-377-1	0.1-<1%	Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1;H315- H317-H318,-	

**Substances with Community workplace exposure limits:** 





Version: 2 (12/10/2023)

### **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** V-Air Solid Evo-Linen Breeze VEVO LINEN

Version: 2

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
Citral	5392-40-5	226-394-6		0.1-<1%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1;H315- H317-H319,-	
Propylene glycol	57-55-6	200-338-0		10-<20%	-;-,-	
d-Limonene	5989-27-5, 138-86-3, 5989-54-8	227-813-5, 205-341-0, 227-815-6		1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 3; H226-H304-H315- H317-H400-H412,-	M = 1

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

#### Section 4. First-aid measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

**Skin exposure:** IF ON SKIN: Wash with plenty of soap and water. **Ingestion:** Rinse mouth with water and obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

#### **Section 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.





Version: 2 (12/10/2023)

### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** V-Air Solid Evo-Linen Breeze VEVO LINEN

Version: 2

#### Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

#### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

## 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Air Freshener, For Professional use only.: Use in accordance with good manufacturing and industrial hygiene practices.

#### Section 8. Exposure controls/personal protection

### 8.1 Control parameters

Workplace exposure limits:





Issue date: 22/02/2024 Version: 2 (12/10/2023)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** V-Air Solid Evo-Linen Breeze VEVO LINEN

Version: 2

Ingredient	CAS	EC	Description	Value
Citaral	5200 40 F		Polish NDS mgm3	27 mg/m³
Citral	5392-40-5	226-394-6 Polish NDSCh mgm3	54 mg/m³	
Propylene glycol	57.55.0	200-338-0	UK WEL Long term ppm	474 ppm
	57-55-6 200-33		UK WEL Long term mgm3	150 mg/m³
			German OEL Long term ppm	5 ppm
d-Limonene	138-86-3,	227-813-5, 205-341-0, 227-815-6	0, German OEL Long term mgm3 28	28 mg/m³
			German OEL Short term mgm3	112 mg/m³

#### **8.2 Exposure Controls**

### **Eye / Skin Protection**

Wear protective gloves/eye protection/face protection

### **Respiratory Protection**

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

#### Section 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Physical State/Colour:

Odour:

Characteristic

Odour threshold:

Melting point / freezing point:

Not determined

Boiling point or initial boiling point and boiling > 100 °C

range:

Flammability: Not determined Lower and upper explosion limit: Not determined





Version: 2 (12/10/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** V-Air Solid Evo-Linen Breeze VEVO LINEN

Version: 2

Flash point: > 100 °C

Auto-ignition temperature: > 200 °C

Decomposition temperature: Not relevant

pH: Not determined

Substance/mixture is non-soluble (in water)

Kinematic viscosity:

Solubility:

Not determined

Not determined

Not determined

Not determined

value):

Vapour pressure:Not determinedDensity and/or relative density:Not determinedRelative vapour density:Not determinedParticle characteristics:Not determined

**9.2 Other information:** None available

### Section 10. Stability and reactivity

### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

### 10.6 Hazardous decomposition products:

Not expected.

## Section 11. Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000
Acute Toxicity Dermal >5000
Acute Toxicity Inhalation Not Available

**Skin corrosion/irritation:**Based on available data the classification criteria are not met.





Version: 2 (12/10/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** V-Air Solid Evo-Linen Breeze VEVO LINEN

Version: 2

**Serious eye damage/irritation:** Based on available data the classification criteria are not met.

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

#### Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Carrageenan	2593-40-5, 9000-07-1	232-524-2	Not available	1100	Not available	Not available

Refer to Sections 2 and 3 for additional information.

#### 11.2 Information on other hazards

Not Applicable

#### **Section 12. Ecological information**

12.1 Toxicity:Not available12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Endocrine disrupting properties:** Not Applicable **12.7 Other adverse effects:** Not available

### **Section 13. Disposal considerations**

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### **Section 14. Transport information**

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):		14.4 Packing Group:
UN Model	Not	-	-	-	-
Regulations	classified				





Version: 2 (12/10/2023)

### **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** V-Air Solid Evo-Linen Breeze VEVO LINEN

Version: 2

Not classified	-	-	_	-
Not classified	-	-	-	-
Not classified	-	-	-	-

**14.5 Environmental hazards:** Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not classified

### **Section 15. Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SDS Reference No.: SDS\_1119

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

**Section 16. Other information** 

**Concentration % Limits:** SS 1=41.67% EH C2=54.70% EH C3=5.42%

Total Fractional Values: SS 1=2.40 EH C2=1.83 EH C3=18.45

Key to revisions:

Information about hazardous ingredients in the mixture SECTION 3: Composition/information on ingredients Workplace exposure limits

### Key to abbreviations:

Abbreviation	Meaning			
Acute Tox. 4	Acute Toxicity - Dermal Category 4			
Acute Tox. 4	cute Toxicity - Oral Category 4			
Aquatic Acute 1	azardous to the Aquatic Environment - Acute Hazard Category 1			
Aquatic Chronic 1	ızardous to the Aquatic Environment - Long-term Hazard Category 1			
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2			
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3			
Asp. Tox 1	Aspiration Hazard Category 1			
Eye Dam. 1	Eye Damage / Irritation Category 1			
Eye Irrit. 2	Eye Damage / Irritation Category 2			
Flam. Liq. 3	Flammable Liquid, Hazard Category 3			
H226	Flammable liquid and vapour.			
H302	Harmful if swallowed.			





Version: 2 (12/10/2023)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** V-Air Solid Evo-Linen Breeze VEVO LINEN

Version: 2

May be fatal if swallowed and enters airways.  Harmful in contact with skin.  Causes skin irritation.  May cause an allergic skin reaction.  Causes serious eye damage.  Causes serious eye irritation.  Very toxic to aquatic life.  Very toxic to aquatic life with long lasting effects.  Toxic to aquatic life with long lasting effects.  Harmful to aquatic life with long lasting effects.  Keep away from heat, sparks, open flames and hot surfaces No smoking.  Keep container tightly closed.  Ground/bond container and receiving equipment.  Use explosion-proof electrical, ventilating and lighting equipment.  Use only non-sparking tools.  Take precautionary measures against static discharge.  Avoid breathing vapour or dust.  Wash hands and other contacted skin thoroughly after handling.
Causes skin irritation.  May cause an allergic skin reaction.  Causes serious eye damage.  Causes serious eye irritation.  Very toxic to aquatic life.  Very toxic to aquatic life with long lasting effects.  Toxic to aquatic life with long lasting effects.  Harmful to aquatic life with long lasting effects.  Keep away from heat, sparks, open flames and hot surfaces No smoking.  Keep container tightly closed.  Ground/bond container and receiving equipment.  Use explosion-proof electrical, ventilating and lighting equipment.  Use only non-sparking tools.  Take precautionary measures against static discharge.  Avoid breathing vapour or dust.
May cause an allergic skin reaction.  Causes serious eye damage.  Causes serious eye irritation.  Very toxic to aquatic life.  Very toxic to aquatic life with long lasting effects.  Toxic to aquatic life with long lasting effects.  Harmful to aquatic life with long lasting effects.  Keep away from heat, sparks, open flames and hot surfaces No smoking.  Keep container tightly closed.  Ground/bond container and receiving equipment.  Use explosion-proof electrical, ventilating and lighting equipment.  Use only non-sparking tools.  Take precautionary measures against static discharge.  Avoid breathing vapour or dust.
Causes serious eye damage.  Causes serious eye irritation.  Very toxic to aquatic life.  Very toxic to aquatic life with long lasting effects.  Toxic to aquatic life with long lasting effects.  Harmful to aquatic life with long lasting effects.  Keep away from heat, sparks, open flames and hot surfaces No smoking.  Keep container tightly closed.  Ground/bond container and receiving equipment.  Use explosion-proof electrical, ventilating and lighting equipment.  Use only non-sparking tools.  Take precautionary measures against static discharge.  Avoid breathing vapour or dust.
Causes serious eye irritation.  Very toxic to aquatic life.  Very toxic to aquatic life with long lasting effects.  Toxic to aquatic life with long lasting effects.  Harmful to aquatic life with long lasting effects.  Keep away from heat, sparks, open flames and hot surfaces No smoking.  Keep container tightly closed.  Ground/bond container and receiving equipment.  Use explosion-proof electrical, ventilating and lighting equipment.  Use only non-sparking tools.  Take precautionary measures against static discharge.  Avoid breathing vapour or dust.
Very toxic to aquatic life.  Very toxic to aquatic life with long lasting effects.  Toxic to aquatic life with long lasting effects.  Harmful to aquatic life with long lasting effects.  Keep away from heat, sparks, open flames and hot surfaces No smoking.  Keep container tightly closed.  Ground/bond container and receiving equipment.  Use explosion-proof electrical, ventilating and lighting equipment.  Use only non-sparking tools.  Take precautionary measures against static discharge.  Avoid breathing vapour or dust.
Very toxic to aquatic life with long lasting effects.  Toxic to aquatic life with long lasting effects.  Harmful to aquatic life with long lasting effects.  Keep away from heat, sparks, open flames and hot surfaces No smoking.  Keep container tightly closed.  Ground/bond container and receiving equipment.  Use explosion-proof electrical, ventilating and lighting equipment.  Use only non-sparking tools.  Take precautionary measures against static discharge.  Avoid breathing vapour or dust.
Toxic to aquatic life with long lasting effects.  Harmful to aquatic life with long lasting effects.  Keep away from heat, sparks, open flames and hot surfaces No smoking.  Keep container tightly closed.  Ground/bond container and receiving equipment.  Use explosion-proof electrical, ventilating and lighting equipment.  Use only non-sparking tools.  Take precautionary measures against static discharge.  Avoid breathing vapour or dust.
Harmful to aquatic life with long lasting effects.  Keep away from heat, sparks, open flames and hot surfaces No smoking.  Keep container tightly closed.  Ground/bond container and receiving equipment.  Use explosion-proof electrical, ventilating and lighting equipment.  Use only non-sparking tools.  Take precautionary measures against static discharge.  Avoid breathing vapour or dust.
Keep away from heat, sparks, open flames and hot surfaces No smoking.  Keep container tightly closed.  Ground/bond container and receiving equipment.  Use explosion-proof electrical, ventilating and lighting equipment.  Use only non-sparking tools.  Take precautionary measures against static discharge.  Avoid breathing vapour or dust.
Keep container tightly closed.  Ground/bond container and receiving equipment.  Use explosion-proof electrical, ventilating and lighting equipment.  Use only non-sparking tools.  Take precautionary measures against static discharge.  Avoid breathing vapour or dust.
Ground/bond container and receiving equipment.  Use explosion-proof electrical, ventilating and lighting equipment.  Use only non-sparking tools.  Take precautionary measures against static discharge.  Avoid breathing vapour or dust.
Use explosion-proof electrical, ventilating and lighting equipment.  Use only non-sparking tools.  Take precautionary measures against static discharge.  Avoid breathing vapour or dust.
Use only non-sparking tools.  Take precautionary measures against static discharge.  Avoid breathing vapour or dust.
Take precautionary measures against static discharge.  Avoid breathing vapour or dust.
Avoid breathing vapour or dust.
Wash hands and other contacted skin thoroughly after handling
Tracin name and care contacted can allowageny and manage
Do not eat, drink or smoke when using this product.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.
Wear protective gloves/eye protection/face protection.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
IF ON SKIN: Wash with plenty of soap and water.
IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician.
Call a POISON CENTRE or doctor/physician if you feel unwell.
Rinse mouth.
Do not induce vomiting.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
Collect spillage.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to approved disposal site, in accordance with local regulations.





Version: 2 (12/10/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** V-Air Solid Evo-Linen Breeze VEVO LINEN

Version: 2

Skin Irrit. 2	Skin Corrosion / Irritation Category 2	
Skin Sens. 1	Sensitization - Skin Category 1	
Skin Sens. 1A	Sensitization - Skin Category 1A	
Skin Sens. 1B	Sensitization - Skin Category 1B	

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.