

WECTAIR S Y S T E M S

Issue date: 14/05/2024

Version: 2 (14/05/2024)

# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SENSAMIST COTTON BREEZE 1000ML SM-1L-COTTON

Version: 2

#### Section 1. Identification of the substance or the mixture and of the supplier

## 1.1 Product Identifier

Product identifier: SENSAMIST COTTON BREEZE 1000ML SM-1L-COTTON(Contains:1-(1,2,3,4,5,6,7,8-

Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone)

Other identifiers: EFF334121

Unique Formula Identifier (UFI):

NSAU-3XCU-N008-6HKP

1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Air Freshener, For Professional use only.

Uses advised against: Use only for intended applications

1.3 Details of the supplier of the safety data sheet

Company name: Vectair Systems Ltd

Company address: Unit 3, Trident Centre, Armstrong Road, Basingstoke, Hampshire, RG24 8NU, UK

**Contact:** Product Development

**E-Mail address:** prod-dev@vectairsystems.com

**Company phone:** +44 (0) 1256 319500 (Office Hours 09:00 to 17:00)

1.4 Emergency telephone number

**Emergency phone:** [UK]111;[IE]+353 (0)1 809 2166;[BE]+32 (0)70 245 245;[BG]+359 (0)2 9154 233;[CZ]+420 224

919 293/+420 224 915 402;[DK]+45 8212 1212;[AT]+43 (0)1 406 43 43;[GR]+30 210 779 3777; [ES]+34 91 562 04 20;[EE][LV][SI][SE]112;[FI]+358 (0)9 471 977;[FR]+33 (0)1 45 42 59 59; [HR]+385 (0)1 23-48-342;[HU]+36 (06) 80 201-199;[IS]+354 543 2222;[IT]0016506 68593726; [LT]+370 (8)5 236 20 52/+370 (8)6 875 33 78;[NL]+31 (0)30 274 8888;[NO]+47 22 59 13 00;

[PT]800 250 250;[RO]+40 (0)21 318 36 06;[SK]+421(0)254774166

## Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

# Classification under Regulation (EC) No 1272/2008

Class and category of Sensitization - Skin Category 1

danger: Hazardous to the Aquatic Environment - Long-term Hazard Category 3

H317, May cause an allergic skin reaction.

H412, Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

### Classification under Regulation (EC) No 1272/2008

Signal word: Warning.

**Hazard statements:** H317, May cause an allergic skin reaction.





Issue date: 14/05/2024 Version: 2 (14/05/2024)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** SENSAMIST COTTON BREEZE 1000ML SM-1L-COTTON

Version: 2

H412, Harmful to aquatic life with long lasting effects.

**Supplemental** Information:

EUH208, Contains 2-Methyl-3-(p-isopropylphenyl)propionaldehyde, 4-tert-Butylcyclohexyl

acetate, Geranyl acetate, Tetrahydrolinalool. May produce an allergic reaction.

**Precautionary** statements:

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.

Pictograms:



**Unique Formula** Identifier (UFI):

NSAU-3XCU-N008-6HKP

2.3 Other hazards

Other hazards: Sensitisers declared on a CLP

Hazard Label:

Butylcyclohexyl acetate, Geranyl acetate, Tetrahydrolinalool

2-Methyl-3-(p-isopropylphenyl)propionaldehyde, 4-tert-

Hydrocarbon Concentration %:

0.0000%

# Section 3. Composition / information on ingredients

### 3.2 Mixtures

### **Contains:**

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone	54464-57-2, 68155-66-8, 68155-67-9, 54464-59-4	259-174-3, 915-730-3		1-<5%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 2; H315-H317-H411,-	
alpha-lonone	127-41-3	204-841-6		1-<5%		oral: ATE = 4590 mg/kg bw
Phenethyl alcohol	60-12-8	200-456-2		1-<5%	Acute Tox. 4-Eye Irrit. 2;H302-H319,-	dermal: ATE = 2500 mg/kg bw-oral: ATE = 1610 mg/kg bw
Amyl salicylate	2050-08-0	218-080-2		0.1-<1%	Δ cuto 1-Δ custic	M = 1-M = 1-oral: ATE = 2000 mg/kg bw
4-tert-Butylcyclohexyl acetate	32210-23-4	250-954-9		0.1-<1%	ISKIN Sens 1B H31/ -	oral: ATE = 3370 mg/kg bw





Version: 2 (14/05/2024)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: SENSAMIST COTTON BREEZE 1000ML SM-1L-COTTON

Version: 2

2-Methyl-3-(p- isopropylphenyl) propionaldehyde	103-95-7	203-161-7	0.	.1-<1%	1B-Adjustic Chronic 3: 1	oral: ATE = 3810 mg/kg bw
Tetrahydrolinalool	78-69-3	201-133-9	0.	.1-<1%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B;H315- H317-H319,-	
Geranyl acetate	105-87-3	203-341-5	0.	.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 3; H315-H317-H412,-	

### **Substances with Community workplace exposure limits:**

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
Dipropylene glycol (isomer unspecified)	25265-71-8	246-770-3		5-<10%	-;-,-	
Dipropylene glycol monomethyl ether	34590-94-8	252-104-2		50-100%	-;-,-	
Propylene glycol	57-55-6	200-338-0		0.1-<1%	-;-,-	

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

## Section 4. First-aid measures

# 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

**Skin exposure:** IF ON SKIN: Wash with plenty of soap and water. **Ingestion:** Rinse mouth with water and obtain medical attention.

## 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

## 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## **Section 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.





Version: 2 (14/05/2024)

# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SENSAMIST COTTON BREEZE 1000ML SM-1L-COTTON

Version: 2

### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

## 6.4 Reference to other sections:

Also refer to sections 8 and 13.

### Section 7. Handling and storage

### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 7.3 Specific end use(s):

Air Freshener, For Professional use only.: Use in accordance with good manufacturing and industrial hygiene practices.

### Section 8. Exposure controls/personal protection

### 8.1 Control parameters

Workplace exposure limits:





Version: 2 (14/05/2024)

# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** SENSAMIST COTTON BREEZE 1000ML SM-1L-COTTON

Version: 2

Ingredient	CAS	EC	Description	Value
Dipropylene glycol (isomer unspecified)	25265-71-8	246-770-3	German OEL Long term mgm3	100 mg/m³
	34590-94-8	252-104-2	UK WEL Long term ppm	50 ppm
			UK WEL Long term mgm3	308 mg/m³
			UK WEL Short term ppm	150 ppm
			UK WEL Short term mgm3	924 mg/m³
Dipropylene glycol monomethyl			EU Long-term exposure limit (8-hour TWA) (mg/m3)	308 mg/m³
ether			EU Long-term exposure limit (8-hour TWA) (ppm)	50 ppm
			Polish NDS mgm3	240 mg/m³
			Polish NDSCh mgm3	480 mg/m³
			German OEL Long term ppm	50 ppm
			German OEL Long term mgm3	310 mg/m³
Providence alliand	57-55-6	200-338-0	UK WEL Long term ppm	474 ppm
Propylene glycol			UK WEL Long term mgm3	150 mg/m³

### 8.2 Exposure Controls

# **Eye / Skin Protection**

Wear protective gloves/eye protection/face protection

# **Respiratory Protection**

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.





Version: 2 (14/05/2024)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: SENSAMIST COTTON BREEZE 1000ML SM-1L-COTTON

Version: 2

# Section 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Physical State/Colour:

Odour:

Characteristic

Odour threshold:

Not determined

Melting point / freezing point:

Not determined

Boiling point or initial boiling point and boiling

Not determined

range:

Flammability: Not determined

Lower and upper explosion limit: Not determined

Flash point: > 62 °C

Auto-ignition temperature:

Decomposition temperature:

PH:

Not determined

value):

Vapour pressure:1.36620420 mmHgDensity and/or relative density:Not determinedRelative vapour density:Not determinedParticle characteristics:Not determined

**9.2 Other information:** None available

### Section 10. Stability and reactivity

### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

# 10.2 Chemical stability:

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.





Version: 2 (14/05/2024)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: SENSAMIST COTTON BREEZE 1000ML SM-1L-COTTON

Version: 2

### 10.6 Hazardous decomposition products:

Not expected.

### Section 11. Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

**Acute Toxicity:**Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000 Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

**Skin corrosion/irritation:**Based on available data the classification criteria are not met. **Serious eye damage/irritation:**Based on available data the classification criteria are not met.

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

#### Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Phenethyl alcohol	60-12-8	200-456-2	1610	2500	INot available	Not available

Refer to Sections 2 and 3 for additional information.

#### 11.2 Information on other hazards

Not Applicable

#### Section 12. Ecological information

### 12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

## 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable





Version: 2 (14/05/2024)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: SENSAMIST COTTON BREEZE 1000ML SM-1L-COTTON

Version: 2

**12.7 Other adverse effects:** Not available

## Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## **Section 14. Transport information**

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	Not classified	-	-	-	-
IMDG	Not classified	-	-	-	-
ADR,RID,ADN	Not classified	-	-	-	-
ICAO TI	Not classified	-	-	-	-

**14.5 Environmental hazards:** Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not classified

### Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SDS Reference No.: SDS\_1201

Total % of high VP components (VOC): 0.6%

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

**Section 16. Other information** 

Concentration % Limits: SS 1=61.81% EH C3=33.07%

**Total Fractional Values:** SS 1=1.62 EH C3=3.02

Key to revisions:

Classification under Regulation (EC) No 1272/2008

Concentration % Limits

Information about hazardous ingredients in the mixture

Product identifier





Version: 2 (14/05/2024)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: SENSAMIST COTTON BREEZE 1000ML SM-1L-COTTON

Version: 2

SECTION 3: Composition/information on ingredients

Total Fractional Values
Workplace exposure limits

## Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Eye Irrit. 2	Eye Damage / Irritation Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P330	Rinse mouth.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.