

Printing date 01/23/2024

Reviewed on 01/23/2024

1 Identification

· Product identifier

• Trade name: FQ-300FSFX-LB-US QUADRASAN Linen Breeze

• Manufacturer article number: ELILG24 • Application of the substance / the mixture Air freshener

 Details of the supplier of the safety data sheet (401)
 Manufacturer/Supplier: Vectair Systems, Inc.
 2095 Spicer Cove Covington Way Distribution Centre Memphis, TN 38134, USA Phone: +1 901 373 7818 General inquiries: prod-dev@vectairsystems.com

· Information department: Product safety department

• *Emergency telephone number:* INFOTRAC +1 800 535 5053

INTERNATIONAL +1 352 323 3500

2 Hazard identification

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



·	Signal	word	Danger
---	--------	------	--------

- · Hazard statements
- H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

· Precautionary statements

- *P101* If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233 Keep container tightly closed.
- P240 Ground and bond container and receiving equipment.
- P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
- P242 Use non-sparking tools.
- P243 Take actions to prevent static discharges.
- *P264 Wash thoroughly after handling.*
- *P280 Wear protective gloves/protective clothing/eye protection/face protection.*
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- *P337+P313* If eye irritation persists: Get medical advice/attention.
- P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

(Contd. on page 2)

⁻ CA



Printing date 01/23/2024

Reviewed on 01/23/2024

Trade name: FQ-300FSFX-LB-US QUADRASAN Linen Breeze

	(Contd. of page 1)
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification systemation systematics of the systematic systematic systematics of the systematic systematic systematics of the systematic systematics of the systematic systematics of the systematic systematics of the systematic systematic systematics of the systematic systematic systematic systematics of the systematic systematic systematic systematic systematics of the systematic sy	em:
· NFPA ratings (so	cale 0 - 4)
Health = 1	
Fire = l	
Reactivity = 0	
HMIS-ratings (se	cale 0 - 4)
<i>Health</i> $= 1$	
Fire = l	
Reactivity = 0	

3 Composition/Information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous components:		
67-63-0	propan-2-ol	≥10-<20% w/w *
61789-71-7	Quaternary ammonium compounds, benzylcoco alkyldimethyl, chlorides	1-5% w/w *
	Fragrance Trade Secret (810)	1-5% w/w *
* Actual co	oncentration ranges are withheld as a trade secret.	

4 First-aid measures

· Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Remeve affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol-resistant foam. • *Special hazards arising from the substance or mixture* No further relevant information available.

(Contd. on page 3)

CA —



Printing date 01/23/2024

Reviewed on 01/23/2024

Trade name: FQ-300FSFX-LB-US QUADRASAN Linen Breeze

(Contd. of page 2)

• Advice for firefighters

• Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- *Environmental precautions: Dilute with plenty of water.*
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- Ensure daequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- *Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.*
- Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

- EL STEL: 400 ppm
- *TWA: 200 ppm*
- *EV STEL: 400 ppm TWA: 200 ppm*
- 1 WA. 200 ppm

• *Additional information:* The lists that were valid during the creation were used as basis.

(Contd. on page 4)

CA

Printing date 01/23/2024

Reviewed on 01/23/2024

Trade name: FQ-300FSFX-LB-US QUADRASAN Linen Breeze

(Contd. of page 3)

Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: Not required. Protection of hands: Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and control of the second seco	hemical properties	
· Appearance:		
· Form:	Fluid	
· Color:	According to product specification	
· Odor:	Product specific	
· Odor threshold:	Not determined.	
· pH-value at 20 °C:	4-8	
· Change in condition		
• Melting point/Melting range:	Undetermined.	
· Boiling point/Boiling range:	82 °C	
· Bolling point/Bolling range: · Flash point:	< 23 °C	





Printing date 01/23/2024

Reviewed on 01/23/2024

Trade name: FQ-300FSFX-LB-US QUADRASAN Linen Breeze

	(Contd. of page -
· Flammability (solid, gaseous):	Not applicable.
Auto igniting:	425 °C
· Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
· Lower:	2 Vol %
· Upper:	12 Vol %
· Vapor pressure at 20 °C:	43 hPa
Density:	Not determined.
Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Fully miscible.
· Partition coefficient (n-octanol/wa	ter): Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
· Solvent content:	
• Organic solvents:	17.0 %
· Water:	69.5 %
· Solids content:	0.2 %
Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)



Printing date 01/23/2024

Reviewed on 01/23/2024

Trade name: FQ-300FSFX-LB-US QUADRASAN Linen Breeze

(Contd. of page 5)

11 Toxicological information · Information on toxicological effects • Acute toxicity: · LD/LC50 values that are relevant for classification: 67-63-0 propan-2-ol Oral LD50 5,045 mg/kg (rat) LD50 12,800 mg/kg (rabbit) Dermal Inhalative LC50/4 h 30 mg/l (rat) · Primary irritant effect: • on the skin: No irritant effect. • on the eye: Irritating effect. · Sensitization: No sensitizing effects known. • Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant · Carcinogenic categories · IARC (International Agency for Research on Cancer) 67-63-0 propan-2-ol 3 · NTP (National Toxicology Program) None of the ingredients is listed. 12 Ecological information · Toxicity • Aquatic toxicity: No further relevant information available. · Persistence and degradability No further relevant information available. · Behavior in environmental systems:

- **Bioaccumulative potential** No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

(Contd. on page 7)



Printing date 01/23/2024

Reviewed on 01/23/2024

Trade name: FQ-300FSFX-LB-US QUADRASAN Linen Breeze

(Contd. of page 6)

Transport information	
· UN-Number · DOT/TDG, ADR, IMDG, IATA	UN1993
· UN proper shipping name · DOT/TDG · ADR · IMDG, IATA	Flammable liquids, n.o.s. (Isopropanol) 1993 Flammable liquids, n.o.s. (Isopropanol) FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROP) ALCOHOL))
· Transport hazard class(es)	
· DOT/TDG (Transport dangerous goods):	
R AMMER LOCK	
· Class · Label	3 Flammable liquids
· ADR, IMDG, IATA	
· Class · Label	3 Flammable liquids 3
· Packing group · DOT/TDG, ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
• Special precautions for user • Hazard identification number (Kemler co • EMS Number: • Stowage Category	Warning: Flammable liquids de): 33 F-E, <u>S-E</u> B
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
• DOT/TDG • Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· ADR · Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IMDG · Limited quantities (LQ)	1L



Printing date 01/23/2024

Reviewed on 01/23/2024

Trade name: FQ-300FSFX-LB-US QUADRASAN Linen Breeze

	(Contd. of page 7)
• Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
• UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL)), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

• TSCA (Toxic Substances Control Act):

,		
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
67-63-0	propan-2-ol	ACTIVE
9002-92-0	Ethoxylated lauryl alkohol	ACTIVE
60-00-4	edetic acid	ACTIVE

· Canadian substance listings:

· Canadian Domestic Substances List (DSL)

7732-18-5 water, distilled, conductivity or of similar purity

67-63-0 propan-2-ol 9002-92-0 Ethoxylated lauryl alkohol

60-00-4 edetic acid

· Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

67-63-0 propan-2-ol

9002-92-0 Ethoxylated lauryl alkohol

· Chemical safety assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Development
- Contact: Vectair Systems Inc +1 001 373 7818 (during normal office k

+1 901 373 7818 (during normal office hours)

(Contd. on page 9)

CA



Printing date 01/23/2024

Reviewed on 01/23/2024

Trade name: FQ-300FSFX-LB-US QUADRASAN Linen Breeze

	(Contd. of page
\cdot Date of the latest revision of the safety data sheet $01/23/2024$	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
HMIS: Hazardous Materials Identification System (USA)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
* Data compared to the previous version altered.	
Dum compared to the previous version uncrea.	