

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Airloop–Marine Musk AIRLOOP MARIN-EU

Version: 2

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Airloop–Marine Musk AIRLOOP MARIN-EU(Contains:4-tert-Butylcyclohexyl acetate, alpha-Pinene, beta-Pinene, d-Limonene)

Other identifiers: AIRLOOP MARIN-EU / GB-23-065-30

Unique Formula Identifier (UFI): Y6K0-N00N-S00X-9UH4

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Air Freshener

Uses advised against: Use only for intended applications

1.3 Details of the supplier of the safety data sheet

Company name: Vectair Systems Ltd

Company address: Unit 3, Trident Centre, Armstrong Road, Basingstoke, Hampshire, RG24 8NU, UK

Contact: Product Development

E-Mail address: prod-dev@vectairsystems.com

Company phone: +44 (0) 1256 319500 (Office Hours 09:00 to 17:00)

1.4 Emergency telephone number

Emergency phone: [UK]111;[IE]+353 (0)1 809 2166;[BE]+32 (0)70 245 245;[BG]+359 (0)2 9154 233;[CZ]+420 224 919 293/+420 224 915 402;[DK]+45 8212 1212;[AT]+43 (0)1 406 43 43;[GR]+30 210 779 3777; [ES]+34 91 562 04 20;[EE][LV][SI][SE]112;[FI]+358 (0)9 471 977;[FR]+33 (0)1 45 42 59 59; [HR]+385 (0)1 23-48-342;[HU]+36 (06) 80 201-199;[IS]+354 543 2222;[IT]0016506 68593726; [LT]+370 (8)5 236 20 52/+370 (8)6 875 33 78;[NL]+31 (0)30 274 8888;[NO]+47 22 59 13 00; [PT]800 250 250;[RO]+40 (0)21 318 36 06;[SK]+421(0)254774166

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger: Skin Corrosion / Irritation Category 2
Sensitization - Skin Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 3
H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H412, Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Airloop–Marine Musk AIRLOOP MARIN-EU**Version:** 2

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Warning.**Hazard statements:** H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H412, Harmful to aquatic life with long lasting effects.**Supplemental Information:** EUH208, Contains 10-Undecenal, 2-Hexyl-(E)-cinnamaldehyde, 2-Methoxy-4-methylphenol, 2-Methyl-3-(p-isopropylphenyl)propionaldehyde, Acetyl cedrene, Benzyl salicylate, Citral, Coumarin, Linalool, Linalyl acetate, Neryl acetate, Phenylacetaldehyde, Terpinolene, alpha-Amylcinnamaldehyde, beta-Caryophyllene, dl-Citronellol, l-Carvone, omega-Pentadecalactone. May produce an allergic reaction.**Precautionary statements:** P280, Wear protective gloves/eye protection/face protection.
P302/352, IF ON SKIN: Wash with plenty of soap and water.
P333/313, If skin irritation or rash occurs: Get medical advice/attention.
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.**Pictograms:**

2.3 Other hazards

Other hazards: Sensitisers declared on a CLP Hazard Label: 10-Undecenal, 2-Hexyl-(E)-cinnamaldehyde, 2-Methoxy-4-methylphenol, 2-Methyl-3-(p-isopropylphenyl)propionaldehyde, Acetyl cedrene, Benzyl salicylate, Citral, Coumarin, Linalool, Linalyl acetate, Neryl acetate, Phenylacetaldehyde, Terpinolene, alpha-Amylcinnamaldehyde, beta-Caryophyllene, dl-Citronellol, l-Carvone, omega-Pentadecalactone
Hydrocarbon Concentration %: 9.0900%

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

| Name | CAS | EC | REACH Registration No. | % | Classification for (CLP) 1272/2008 | Specific Conc. Limits, M-factors and ATEs |
|------|-----|----|------------------------|---|------------------------------------|---|
|------|-----|----|------------------------|---|------------------------------------|---|

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Airloop–Marine Musk AIRLOOP MARIN-EU

Version: 2

| | | | | | | |
|---|--------------------------------------|---------------------------------------|--|---------|--|---|
| Benzyl benzoate | 120-51-4 | 204-402-9 | | 1-<5% | Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 2;H302-H400- H411,- | oral: ATE = 1160 mg/kg bw |
| d-Limonene | 5989-27-5, 138-86-3, 5989-54-8 | 227-813-5, 205-341-0, 227-815-6 | | 1-<5% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 3; H226-H304-H315- H317-H400-H412,- | M = 1 |
| Tricyclodecyl propionate | 17511-60-3 | 241-514-7 | | 1-<5% | Aquatic Chronic 2; H411,- | |
| alpha-Pinene | 80-56-8, 7785-26-4 | 201-291-9 | | 1-<5% | Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1- Aquatic Chronic 1; H226-H302-H304- H315-H317-H410,- | M = 1-M = 1-oral: ATE = 500 mg/kg bw |
| beta-Pinene | 127-91-3 | 204-872-5 | | 1-<5% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H226-H304-H315- H317-H410,- | M = 1-M = 1 |
| 4-tert-Butylcyclohexyl acetate | 32210-23-4 | 250-954-9 | | 1-<5% | Skin Sens. 1B;H317,- | oral: ATE = 3370 mg/kg bw |
| Dihydromyrcenol | 18479-58-8 | 242-362-4 | | 1-<5% | Skin Irrit. 2-Eye Irrit. 2; H315-H319,- | oral: ATE = 3600 mg/kg bw |
| Citral | 5392-40-5 | 226-394-6 | | 1-<5% | Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1;H315- H317-H319,- | |
| Terpinolene | 586-62-9 | 209-578-0 | | 1-<5% | Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H304-H317-H410,- | M = 1-M = 1-oral: ATE = 3775 mg/kg bw |
| C11-15-Isoalkanes | 90622-58-5 | 292-460-6 | | 1-<5% | Asp. Tox 1;H304,- | |
| Linalyl acetate | 115-95-7 | 204-116-4 | | 1-<5% | Skin Irrit. 2-Skin Sens. 1B;H315-H317,- | |
| Linalool | 78-70-6 | 201-134-4 | | 1-<5% | Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B;H315- H317-H319,- | oral: ATE = 2790 mg/kg bw |
| 2-Hexyl-(E)- cinnamaldehyde | 165184-98-5 | | | 0.1-<1% | Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H317-H400- H411,- | M = 1-oral: ATE = 3100 mg/kg bw |
| alpha- Amylcinnamaldehyde | 122-40-7 | 204-541-5 | | 0.1-<1% | Skin Sens. 1B-Aquatic Chronic 2;H317-H411,- | oral: ATE = 3730 mg/kg bw |
| beta-Caryophyllene | 87-44-5 | 201-746-1 | | 0.1-<1% | Skin Sens. 1B-Asp. Tox 1;H304-H317,- | |
| Benzyl salicylate | 118-58-1 | 204-262-9 | | 0.1-<1% | Skin Sens. 1B-Aquatic Chronic 3;H317-H412,- | oral: ATE = 2227 mg/kg bw |
| 2-Methyl-3-(p- isopropylphenyl) propionaldehyde | 103-95-7 | 203-161-7 | | 0.1-<1% | Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 3; H315-H317-H412,- | oral: ATE = 3810 mg/kg bw |
| Acetyl cedrene | 32388-55-9 | 251-020-3 | | 0.1-<1% | Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H317-H410,- | M = 1-M = 1-oral: ATE = 4500 mg/kg bw |
| Coumarin | 91-64-5 | 202-086-7 | | 0.1-<1% | Acute Tox. 3-Skin Sens. 1B;H301-H317,- | oral: ATE = 290 mg/kg bw |
| dl-Citronellol | 106-22-9, 7540-51-4 | 203-375-0 | | 0.1-<1% | Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B;H315- H317-H319,- | dermal: ATE = 2650 mg/kg bw-oral: ATE = 3450 mg/kg bw |

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Airloop–Marine Musk AIRLOOP MARIN-EU

Version: 2

| | | | | | | |
|--|-----------|-----------|--|---------|---|---|
| omega-Pentadecalactone | 106-02-5 | 203-354-6 | | 0.1-<1% | Skin Sens. 1B-Aquatic Chronic 2;H317-H411,- | |
| l-Carvone | 6485-40-1 | 229-352-5 | | 0.1-<1% | Skin Sens. 1B;H317,- | dermal: ATE = 3800 mg/kg bw-oral: ATE = 2500 mg/kg bw |
| 10-Undecenal | 112-45-8 | 203-973-1 | | 0.1-<1% | Skin Sens. 1B-Aquatic Chronic 3;H317-H412,- | |
| Amyl salicylate | 2050-08-0 | 218-080-2 | | 0.1-<1% | Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 1;H302-H410,- | M = 1-M = 1-oral: ATE = 2000 mg/kg bw |
| Neryl acetate | 141-12-8 | 205-459-2 | | 0.1-<1% | Skin Sens. 1B;H317,- | |
| 2-Methoxy-4-methylphenol | 93-51-6 | 202-252-9 | | 0.1-<1% | Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H302-H315-H317-H319,- | oral: ATE = 630 mg/kg bw |
| p-Methylanisole | 104-93-8 | 203-253-7 | | 0.1-<1% | Acute Tox. 4-Skin Irrit. 2-Repr. 2;H302-H315-H361,- | oral: ATE = 1900 mg/kg bw |
| Phenylacetaldehyde | 122-78-1 | 204-574-5 | | 0.1-<1% | Acute Tox. 4-Skin Corr. 1B-Eye Dam. 1-Skin Sens. 1B-Aquatic Chronic 3;H302-H314-H317-H412,- | dermal: ATE = 2500 mg/kg bw-oral: ATE = 1550 mg/kg bw |
| 16-Hydroxy-7-hexadecenoic acid lactone | 123-69-3 | 204-644-5 | | 0.1-<1% | Aquatic Acute 1-Aquatic Chronic 1; H410,- | M = 10-M = 10 |

Substances with Community workplace exposure limits:

| Name | CAS | EC | REACH Registration No. | % | Classification for (CLP) 1272/2008 | Specific Conc. Limits, M-factors and ATEs |
|----------------|--------------------------------|---------------------------------|------------------------|---------|--|---|
| Citral | 5392-40-5 | 226-394-6 | | 1-<5% | Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315-H317-H319,- | |
| Diphenyl ether | 101-84-8 | 202-981-2 | | 0.1-<1% | Eye Irrit. 2-Aquatic Acute 1-Aquatic Chronic 3;H319-H400-H412,- | M = 1-oral: ATE = 2830 mg/kg bw |
| d-Limonene | 5989-27-5, 138-86-3, 5989-54-8 | 227-813-5, 205-341-0, 227-815-6 | | 1-<5% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 3; H226-H304-H315-H317-H400-H412,- | M = 1 |

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Airloop–Marine Musk AIRLOOP MARIN-EU

Version: 2

Eye exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Airloop–Marine Musk AIRLOOP MARIN-EU**Version:** 2

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Air Freshener: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

| Ingredient | CAS | EC | Description | Value |
|----------------|--------------------------------------|---------------------------------------|----------------------------|-----------------------|
| Citral | 5392-40-5 | 226-394-6 | Polish NDS mgm3 | 27 mg/m ³ |
| | | | Polish NDSC h mgm3 | 54 mg/m ³ |
| Diphenyl ether | 101-84-8 | 202-981-2 | UK WEL Long term ppm | 1 ppm |
| | | | UK WEL Long term mgm3 | 7 mg/m ³ |
| | | | UK WEL Short term ppm | 2 ppm |
| | | | UK WEL Short term mgm3 | 14 mg/m ³ |
| d-Limonene | 5989-27-5, 138-86-3, 5989-54-8 | 227-813-5, 205-341-0, 227-815-6 | German OEL Long term ppm | 5 ppm |
| | | | German OEL Long term mgm3 | 28 mg/m ³ |
| | | | German OEL Short term mgm3 | 112 mg/m ³ |

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Airloop–Marine Musk AIRLOOP MARIN-EU

Version: 2

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|----------------|
| Physical State/Colour: | Blue Solid |
| Odour: | Characteristic |
| Odour threshold: | Not determined |
| Melting point / freezing point: | Not determined |
| Boiling point or initial boiling point and boiling range: | > 100 °C |
| Flammability: | Not determined |
| Lower and upper explosion limit: | Not determined |
| Flash point: | > 100 °C |
| Auto-ignition temperature: | Not determined |
| Decomposition temperature: | Not relevant |
| pH: | Not determined |
| Kinematic viscosity: | Not determined |
| Solubility: | Not determined |
| Partition coefficient: n-octanol/water (log value): | Not determined |
| Vapour pressure: | Not determined |
| Density and/or relative density: | Not determined |
| Relative vapour density: | Not determined |
| Particle characteristics: | Not determined |

9.2 Other information: None available

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Airloop–Marine Musk AIRLOOP MARIN-EU

Version: 2

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

| | |
|---|--|
| Acute Toxicity: | Based on available data the classification criteria are not met. |
| Acute Toxicity Oral | >5000 |
| Acute Toxicity Dermal | Not Applicable |
| Acute Toxicity Inhalation | Not Available |
| Skin corrosion/irritation: | Skin Corrosion / Irritation Category 2 |
| Serious eye damage/irritation: | Based on available data the classification criteria are not met. |
| Respiratory or skin sensitisation: | Sensitization - Skin Category 1 |
| Germ cell mutagenicity: | Based on available data the classification criteria are not met. |
| Carcinogenicity: | Based on available data the classification criteria are not met. |
| Reproductive toxicity: | Based on available data the classification criteria are not met. |
| STOT-single exposure: | Based on available data the classification criteria are not met. |
| STOT-repeated exposure: | Based on available data the classification criteria are not met. |
| Aspiration hazard: | Based on available data the classification criteria are not met. |

Information about hazardous ingredients in the mixture

| Ingredient | CAS | EC | LD50/ATE Oral | LD50/ATE Dermal | LC50/ATE Inhalation | LC50 Route |
|-----------------|----------|-----------|---------------|-----------------|---------------------|---------------|
| Benzyl benzoate | 120-51-4 | 204-402-9 | 1160 | Not available | Not available | Not available |
| Coumarin | 91-64-5 | 202-086-7 | 290 | Not available | Not available | Not available |

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Airloop–Marine Musk AIRLOOP MARIN-EU

Version: 2

Refer to Sections 2 and 3 for additional information.

11.2 Information on other hazards

Not Applicable

Section 12. Ecological information

12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable

12.7 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

| | 14.1 UN number: | 14.2 UN Proper Shipping Name: | 14.3 Transport hazard class (es): | Sub Risk: | 14.4 Packing Group: |
|-----------------------------|-----------------|-------------------------------|-----------------------------------|-----------|---------------------|
| UN Model Regulations | Not classified | - | - | - | - |
| IMDG | Not classified | - | - | - | - |
| ADR,RID,ADN | Not classified | - | - | - | - |
| ICAO TI | Not classified | - | - | - | - |

14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not classified

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Airloop–Marine Musk AIRLOOP MARIN-EU

Version: 2

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SDS Reference No.: SDS_1038

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: SCI 2=78.43% SS 1=39.22% EH C3=3.27%

Total Fractional Values: SCI 2=1.28 SS 1=2.55 EH C3=30.59

Key to revisions:

Information about hazardous ingredients in the mixture

SECTION 3: Composition/information on ingredients

Workplace exposure limits

Key to abbreviations:

| Abbreviation | Meaning |
|-------------------|---|
| Acute Tox. 3 | Acute Toxicity - Oral Category 3 |
| Acute Tox. 4 | Acute Toxicity - Oral Category 4 |
| Aquatic Acute 1 | Hazardous to the Aquatic Environment - Acute Hazard Category 1 |
| Aquatic Chronic 1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 |
| Aquatic Chronic 2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2 |
| Aquatic Chronic 3 | Hazardous to the Aquatic Environment - Long-term Hazard Category 3 |
| Asp. Tox 1 | Aspiration Hazard Category 1 |
| Eye Dam. 1 | Eye Damage / Irritation Category 1 |
| Eye Irrit. 2 | Eye Damage / Irritation Category 2 |
| Flam. Liq. 3 | Flammable Liquid, Hazard Category 3 |
| H226 | Flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H361 | Suspected of damaging fertility or the unborn child (exposure route). |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Airloop–Marine Musk AIRLOOP MARIN-EU

Version: 2

| | |
|---------------|--|
| P202 | Do not handle until all safety precautions have been read and understood. |
| P210 | Keep away from heat, sparks, open flames and hot surfaces. - No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical, ventilating and lighting equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe vapour or dust. |
| P261 | Avoid breathing vapour or dust. |
| P264 | Wash hands and other contacted skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/eye protection/face protection. |
| P301/310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. |
| P301/312 | IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. |
| P301/330/331 | If swallowed: Rinse mouth. Do not induce vomiting. |
| P302/352 | IF ON SKIN: Wash with plenty of soap and water. |
| P303/361/353 | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304/340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308/313 | IF exposed or concerned: Get medical advice/attention. |
| P310 | Immediately call a POISON CENTER or doctor/physician. |
| P330 | Rinse mouth. |
| P331 | Do not induce vomiting. |
| P332/313 | If skin irritation occurs: Get medical advice/attention. |
| P333/313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P337/313 | If eye irritation persists: Get medical advice/attention. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P363 | Wash contaminated clothing before reuse. |
| P370/378 | In case of fire: Use carbon dioxide, dry chemical, foam for extinction. |
| P391 | Collect spillage. |
| P403/235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container to approved disposal site, in accordance with local regulations. |
| Repr. 2 | Toxic to Reproduction Category 2 |
| Skin Corr. 1B | Skin Corrosion / Irritation Category 1B |
| Skin Irrit. 2 | Skin Corrosion / Irritation Category 2 |
| Skin Sens. 1 | Sensitization - Skin Category 1 |
| Skin Sens. 1B | Sensitization - Skin Category 1B |

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: Airloop–Marine Musk AIRLOOP MARIN-EU

Version: 2

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.