

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SAFESEAT Surface Cleaner 365ml HCHEMNWSSOIL-B

Version: 7

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: SAFESEAT Surface Cleaner 365ml HCHEMNWSSOIL-B

Other identifiers: N20277-2(1)

Unique Formula Identifier (UFI): 2AE7-CY48-YY12-VG20

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product uses: Cleaning agent

Uses advised against: Use only for intended applications

1.3 Details of the supplier of the safety data sheet

Company name: Vectair Systems Ltd

Company address: Unit 3, Trident Centre, Armstrong Road, Basingstoke, Hampshire, RG24 8NU, UK

Contact: Product Development

E-Mail address: prod-dev@vectairsystems.com

Company phone: +44 (0) 1256 319500 (Office Hours 09:00 to 17:00)

Responsible Person: Royal Sanders

Address: Royal Sanders, Industriepark Vliedberg 12, 5251RG Vlijmen, The Netherlands

Phone: +31 (0) 73 5187 187

1.4 Emergency telephone number

Emergency phone: [UK]111;[IE]+353 (0)1 809 2166;[BE]+32 (0)70 245 245;[BG]+359 (0)2 9154 233;[CZ]+420 224 919 293/+420 224 915 402;[DK]+45 8212 1212;[AT]+43 (0)1 406 43 43;[GR]+30 210 779 3777; [ES]+34 91 562 04 20;[EE][LV][SI][SE]112;[FI]+358 (0)9 471 977;[FR]+33 (0)1 45 42 59 59; [HR]+385 (0)1 23-48-342;[HU]+36 (06) 80 201-199;[IS]+354 543 2222;[IT]0016506 68593726; [LT]+370 (8)5 236 20 52/+370 (8)6 875 33 78;[NL]+31 (0)30 274 8888;[NO]+47 22 59 13 00; [PT]800 250 250;[RO]+40 (0)21 318 36 06;[SK]+421(0)254774166

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger: Flammable Liquid, Hazard Category 2
Eye Damage / Irritation Category 2
H225, Highly flammable liquid and vapour.
H319, Causes serious eye irritation.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SAFESEAT Surface Cleaner 365ml HCHEMNWSSOIL-B

Version: 7

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Danger.

Hazard statements: H225, Highly flammable liquid and vapour.
H319, Causes serious eye irritation.

Supplemental Information: EUH208, Contains alpha-Hexylcinnamaldehyde. May produce an allergic reaction.

Precautionary statements: P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337/313, If eye irritation persists: Get medical advice/attention.
P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P403/235, Store in a well-ventilated place. Keep cool.
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



Unique Formula Identifier (UFI): 2AE7-CY48-YY12-VG20

2.3 Other hazards

Other hazards: Sensitisers declared on a CLP alpha-Hexylcinnamaldehyde
Hazard Label:
Hydrocarbon Concentration %: 0.0000%

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
Ethyl alcohol	64-17-5	200-578-6	01-2119457610-43-XXXX	20-<50%	Flam. Liq. 2-Eye Irrit. 2; H225-H319,-	

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SAFESEAT Surface Cleaner 365ml HCHEMNWSSOIL-B

Version: 7

alpha-Hexylcinnamaldehyde	101-86-0, 165184-98-5	202-983-3, 639-566-4	01-2119533092-50-XXXX	0.1-<1%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H317-H400- H411,-	M = 1-oral: ATE = 3100 mg/kg bw
---------------------------	--------------------------	-------------------------	-----------------------	---------	--	------------------------------------

Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
Dipropylene glycol	25265-71-8	246-770-3	01-2119456811-38-XXXX	0.1-<1%	;-,-	
Ethyl alcohol	64-17-5	200-578-6	01-2119457610-43-XXXX	20-<50%	Flam. Liq. 2-Eye Irrit. 2; H225-H319,-	
Isopropyl alcohol	67-63-0	200-661-7	01-2119457558-25-XXXX	0.1-<1%	Flam. Liq. 2-Eye Irrit. 2- STOT SE 3;H225- H319-H336,-	

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
Eye exposure:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin exposure:	Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if irritation persists.
Ingestion:	Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SAFESEAT Surface Cleaner 365ml HCHEMNWSSOIL-B

Version: 7

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Cleaning agent: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SAFESEAT Surface Cleaner 365ml HCHEMNWSSOIL-B

Version: 7

Ingredient	CAS	EC	Description	Value
Dipropylene glycol	25265-71-8	246-770-3	German OEL Long term mgm3	100 mg/m ³
Ethyl alcohol	64-17-5	200-578-6	UK WEL Long term ppm	1000 ppm
			UK WEL Long term mgm3	1920 mg/m ³
Isopropyl alcohol	67-63-0	200-661-7	UK WEL Long term ppm	999 ppm
			UK WEL Long term mgm3	400 mg/m ³
			UK WEL Short term ppm	1250 ppm
			UK WEL Short term mgm3	500 mg/m ³

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State/Colour:	Clear Liquid
Odour:	Characteristic
Odour threshold:	Not determined
Melting point / freezing point:	< 0 °C/
Boiling point or initial boiling point and boiling range:	Not determined
Flammability:	Flammable
Lower and upper explosion limit:	Not determined

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SAFESEAT Surface Cleaner 365ml HCHEMNWSSOIL-B

Version: 7

Flash point: < 23 °C
Auto-ignition temperature: > 200 °C
Decomposition temperature: Not relevant
pH: 7.0
Kinematic viscosity: Not determined
Solubility: Not determined
Partition coefficient: n-octanol/water (log value): Not determined
Vapour pressure: Not determined
Density and/or relative density: Not determined
Relative vapour density: Not determined
Particle characteristics: Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity: Based on available data the classification criteria are not met.
Acute Toxicity Oral Not Applicable
Acute Toxicity Dermal Not Applicable
Acute Toxicity Inhalation Not Available
Skin corrosion/irritation: Based on available data the classification criteria are not met.
Serious eye damage/irritation:

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SAFESEAT Surface Cleaner 365ml HCHEMNWSSOIL-B

Version: 7

Eye Damage / Irritation Category 2

Respiratory or skin sensitisation: Based on available data the classification criteria are not met.
Germ cell mutagenicity: Based on available data the classification criteria are not met.
Carcinogenicity: Based on available data the classification criteria are not met.
Reproductive toxicity: Based on available data the classification criteria are not met.
STOT-single exposure: Based on available data the classification criteria are not met.
STOT-repeated exposure: Based on available data the classification criteria are not met.
Aspiration hazard: Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

11.2 Information on other hazards

Not Applicable

Section 12. Ecological information

12.1 Toxicity: Not available
12.2 Persistence and degradability: Not available
12.3 Bioaccumulative potential: Not available
12.4 Mobility in soil: Not available
12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable
12.7 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN1170	ETHANOL	3	-	II
IMDG	UN1170	ETHANOL	3	-	II
ADR,RID,ADN	UN1170	ETHANOL	3	-	II

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SAFESEAT Surface Cleaner 365ml HCHEMNWSSOIL-B

Version: 7

ICAO TI	UN1170	ETHANOL	3	-	II
---------	--------	---------	---	---	----

14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SDS Reference No.: SDS_1061

Total % of high VP components (VOC): 37.9%

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EDI 2=26.67%

Total Fractional Values: EDI 2=3.75

Key to revisions:

Information about hazardous ingredients in the mixture

SECTION 3: Composition/information on ingredients

Key to abbreviations:

Abbreviation	Meaning
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Eye Irrit. 2	Eye Damage / Irritation Category 2
Flam. Liq. 2	Flammable Liquid, Hazard Category 2
H225	Highly flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: SAFESEAT Surface Cleaner 365ml HCHEMNWSSOIL-B

Version: 7

P264	Wash hands and other contacted skin thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.