

In accordance with REACH Regulation EC No.1907/2006

Product: V-Air Solid-Citrus Mango V-SOLID CITRUS EU

Version: 4

# Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier:V-Air Solid-Citrus Mango V-SOLID CITRUS EU(Contains:Citral, Isoeugenol, Linalool)Other identifiers:VA-21-515Unique Formula<br/>Identifier (UFI):8UT0-P0F0-2000-57CV

### 1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses:Air Freshener, For Professional use only.

Uses advised against: Use only for intended applications

# 1.3 Details of the supplier of the safety data sheet

Company name:	Vectair Systems Ltd
Company address:	Unit 3, Trident Centre, Armstrong Road, Basingstoke, Hampshire, RG24 8NU, UK
Contact:	Product Development
E-Mail address:	prod-dev@vectairsystems.com
Company phone:	+44 (0) 1256 319500 (Office Hours 09:00 to 17:00)

# 1.4 Emergency telephone number

Emergency phone: [UK]111;[IE]+353 (0)1 809 2166;[BE]+32 (0)70 245 245;[BG]+359 (0)2 9154 233;[CZ]+420 224 919 293/+420 224 915 402;[DK]+45 8212 1212;[AT]+43 (0)1 406 43 43;[GR]+30 210 779 3777; [ES]+34 91 562 04 20;[EE][LV][SI][SE]112;[FI]+358 (0)9 471 977;[FR]+33 (0)1 45 42 59 59; [HR]+385 (0)1 23-48-342;[HU]+36 (06) 80 201-199;[IS]+354 543 2222;[IT]0016506 68593726; [LT]+370 (8)5 236 20 52/+370 (8)6 875 33 78;[NL]+31 (0)30 274 8888;[NO]+47 22 59 13 00; [PT]800 250 250;[RO]+40 (0)21 318 36 06;[SK]+421(0)254774166

# Section 2. Hazards identification

# 2.1 Classification of the substance or mixture

### Classification under Regulation (EC) No 1272/2008

Class and category of	Eye Damage / Irritation Category 2
danger:	Sensitization - Skin Category 1
	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
	H317, May cause an allergic skin reaction.
	H319, Causes serious eye irritation.
	H412, Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

### Classification under Regulation (EC) No 1272/2008

Signal word: Warning.



In accordance with REACH Regulation EC No.1907/2006

In accordance with REAGH Regulation EC No. 1307/2000							
Product:	V-Air S	olid-Citrus Mango V-SOLID CITRU	IS EU				
Version:	4						
Hazard statements:		H317, May cause an allergic skin reaction. H319, Causes serious eye irritation. H412, Harmful to aquatic life with long lasting effects.					
Supplemental Information:		EUH208, Contains 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde, 2-Methyl-3-(p- isopropylphenyl)propionaldehyde, Benzyl salicylate, Ethyl methylphenylglycidate, Eucalyptol, Geraniol, alpha-Pinene, beta-Pinene, d-Limonene, dl-Citronellol. May produce an allergic reaction.					
Precautionary statements:	y	<ul> <li>P280, Wear protective gloves/eye protection/face protection.</li> <li>P302/352, IF ON SKIN: Wash with plenty of soap and water.</li> <li>P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P333/313, If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P337/313, If eye irritation persists: Get medical advice/attention.</li> <li>P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.</li> </ul>					
2.3 Other haz	ards						
Other hazards:		Sensitisers declared on a CLP Hazard Label:	2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde, 2-Methyl-3-(p- isopropylphenyl)propionaldehyde, Benzyl salicylate, Ethyl methylphenylglycidate, Eucalyptol, Geraniol, alpha-Pinene, beta-Pinene, d-Limonene, dl-Citronellol				
		Hydrocarbon Concentration %:	0.0000%				
Section 3. Composition / information on ingredients							

#### 3.2 Mixtures

### **Contains:**

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
Diethyl malonate	105-53-3	203-305-9		1-<5%	Eye Irrit. 2;H319,-	
Decanal	112-31-2	203-957-4		1-<5%	Eye Irrit. 2-Aquatic Chronic 3;H319-H412,-	
Citral	5392-40-5	226-394-6		1-<5%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1;H315- H317-H319,-	
I-Borneol	464-45-9	207-353-1		1-<5%	Flam. Sol. 1-Skin Irrit. 2;H228-H315,-	



In accordance with REACH Regulation EC No.1907/2006

Product: V-Air Solid-Citrus Mango V-SOLID CITRUS EU

Version: 4

I-Menthol	2216-51-5, 89-78-1	218-690-9	1-<5%	Skin Irrit. 2;H315,-	inhalation: ATE = 5.3 mg/l (dusts or mists)- oral: ATE = 2500 mg/kg bw
Dihydromyrcenol	18479-58-8	242-362-4	1-<5%	Skin Irrit. 2-Eye Irrit. 2; H315-H319,-	oral: ATE = 3600 mg/kg bw
Linalool	78-70-6	201-134-4	1-<5%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B;H315- H317-H319,-	oral: ATE = 2790 mg/kg bw
Benzyl salicylate	118-58-1	204-262-9	0.1-<1%	Skin Sens. 1B-Aquatic Chronic 3;H317-H412,-	oral: ATE = 2227 mg/kg bw
Ethyl methylphenylglycidate	77-83-8	201-061-8	0.1-<1%	Skin Sens. 1B-Aquatic Chronic 2;H317-H411,-	
dl-Citronellol	106-22-9, 7540-51-4	203-375-0	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B;H315- H317-H319,-	dermal: ATE = 2650 mg/kg bw-oral: ATE = 3450 mg/kg bw
d-Limonene	5989-27-5, 138-86-3, 5989-54-8	227-813-5, 205-341-0, 227-815-6	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 3; H226-H304-H315- H317-H400-H412,-	M = 1
beta-Pinene	127-91-3	204-872-5	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H226-H304-H315- H317-H410,-	M = 1-M = 1
alpha-Pinene	80-56-8, 7785-26-4	201-291-9	0.1-<1%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1- Aquatic Chronic 1; H226-H302-H304- H315-H317-H410,-	M = 1-M = 1-oral: ATE = 500 mg/kg bw
Eucalyptol	470-82-6	207-431-5	0.1-<1%	Flam. Liq. 3-Skin Sens. 1B;H226-H317,-	oral: ATE = 2480 mg/kg bw
Camphor	76-22-2, 21368-68-3	200-945-0	0.1-<1%	Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Dam. 1- STOT SE 2-STO-SE 2_ROUTE-Aquatic Chronic 2;H228-H302- H315-H318-H332- H371-H411,-	inhalation: ATE = 1.5 mg/l (dusts or mists)- oral: ATE = 1500 mg/kg bw
2-Methyl-3-(p- isopropylphenyl) propionaldehyde	103-95-7	203-161-7	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 3; H315-H317-H412,-	oral: ATE = 3810 mg/kg bw
Geraniol	106-24-1	203-377-1	0.1-<1%	Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1;H315- H317-H318,-	oral: ATE = 3600 mg/kg bw
Isoeugenol	97-54-1	202-590-7	0.1-<1%	Acute Tox. 4-Acute Tox. 4-Acute Tox. 4- Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1A-STOT SE 3;H302-H312- H315-H317-H319- H332-H335,-	inhalation: ATE = 1.5 mg/l (dusts or mists)- dermal: ATE = 1912 mg/kg bw-oral: ATE = 542 mg/kg bw
2,4-Dimethyl-3- cyclohexen-1- carboxaldehyde	68039-49-6	268-264-1	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1B-Aquatic	oral: ATE = 3900 mg/kg bw



In accordance with REACH Regulation EC No.1907/2006

Product: V-Air Solid-Citrus Mango V-SOLID CITRUS EU

Version: 4

#### Substances with Community workplace exposure limits:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
Camphor	76-22-2, 21368-68-3	200-945-0		0.1-<1%	Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Dam. 1- STOT SE 2-STO-SE 2_ROUTE-Aquatic Chronic 2;H228-H302- H315-H318-H332- H371-H411,-	inhalation: ATE = 1.5 mg/l (dusts or mists)- oral: ATE = 1500 mg/kg bw
Citral	5392-40-5	226-394-6		1-<5%	Skin Irrit. 2-Eye Irrit. 2- Skin Sens. 1;H315- H317-H319,-	
Dipropylene glycol	110-98-5	203-821-4		1-<5%	-;-,-	
Triethylene Glycol	112-27-6	203-953-2		0.1-<1%	Skin Irrit. 2;H315,-	
alpha-Pinene	80-56-8, 7785-26-4	201-291-9		0.1-<1%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1- Aquatic Chronic 1; H226-H302-H304- H315-H317-H410,-	M = 1-M = 1-oral: ATE = 500 mg/kg bw
beta-Pinene	127-91-3	204-872-5		0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 1; H226-H304-H315- H317-H410,-	M = 1-M = 1
d-Limonene	5989-27-5, 138-86-3, 5989-54-8	227-813-5, 205-341-0, 227-815-6		0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 3; H226-H304-H315- H317-H400-H412,-	M = 1

# Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

### Section 4. First-aid measures

#### 4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
Eye exposure:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin exposure:	IF ON SKIN: Wash with plenty of soap and water.
Ingestion:	Rinse mouth with water and obtain medical attention.



In accordance with REACH Regulation EC No.1907/2006

Product: V-Air Solid-Citrus Mango V-SOLID CITRUS EU

Version: 4

### 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction. Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

### Section 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

### Section 7. Handling and storage

### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.



In accordance with REACH Regulation EC No.1907/2006

Product: V-Air Solid-Citrus Mango V-SOLID CITRUS EU

Version: 4

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Air Freshener, For Professional use only.: Use in accordance with good manufacturing and industrial hygiene practices.

#### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits:



In accordance with REACH Regulation EC No.1907/2006

Product: V-Air Solid-Citrus Mango V-SOLID CITRUS EU

Version: 4

Ingredient	CAS	EC	Description	Value
			UK WEL Long term ppm	2 ppm
			UK WEL Long term mgm3	13 mg/m³
Consultan	76-22-2,	200.045.0	UK WEL Short term ppm	3 ppm
Camphor	21368-68-3	200-945-0	UK WEL Short term mgm3	19 mg/m³
			(CH)-Switzerland_MAK-Wert 1_mg/m³	13 mg/m³
			(CH)-Switzerland_MAK-Wert 2_ppm	2 ppm
o in d	5000 40 5	000.004.0	Polish NDS mgm3	27 mg/m³
Citral	5392-40-5	226-394-6	Polish NDSCh mgm3	54 mg/m³
	110-98-5	203-821-4	German OEL Long term mgm3	100 mg/m³
			German OEL Short term mgm3	200 mg/m³
Dipropylene glycol			(CH)-Switzerland_KZGW-Wert 2_ppm	400 ppm
			(CH)-Switzerland_MAK-Wert 1_mg/m³	200 mg/m³
	112-27-6	203-953-2	German OEL Long term mgm3	2000 mg/m³
Triathulana Ohural			German OEL Short term mgm3	1000 mg/m³
Triethylene Glycol			(CH)-Switzerland_KZGW-Wert 1_mg/m <sup>3</sup>	2000 mg/m³
			(CH)-Switzerland_MAK-Wert 1_mg/m³	1000 mg/m³
			(CH)-Switzerland_KZGW-Wert 1_mg/m <sup>3</sup>	224 mg/m³
alaka Dinana	80-56-8,	201-291-9	(CH)-Switzerland_KZGW-Wert 2_ppm	40 ppm
alpha-Pinene	7785-26-4		(CH)-Switzerland_MAK-Wert 1_mg/m³	112 mg/m³
			(CH)-Switzerland_MAK-Wert 2_ppm	20 ppm



4

# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: V-Air Solid-Citrus Mango V-SOLID CITRUS EU

Version:

	127-91-3	204-872-5	(CH)-Switzerland_KZGW-Wert 1_mg/m³	224 mg/m³
beta-Pinene			(CH)-Switzerland_KZGW-Wert 2_ppm	40 ppm
			(CH)-Switzerland_MAK-Wert 1_mg/m³	112 mg/m³
			(CH)-Switzerland_MAK-Wert 2_ppm	20 ppm
		227-813-5, 205-341-0, 227-815-6	German OEL Long term ppm	5 ppm
d-Limonene	138-86-3,		German OEL Long term mgm3	28 mg/m³
			German OEL Short term mgm3	112 mg/m³

# 8.2 Exposure Controls

### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

### **Respiratory Protection**

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical State/Colour:	Yellow Semi-Solid
Odour:	Characteristic
Odour threshold:	Not determined
Melting point / freezing point:	Not determined
Boiling point or initial boiling point and boiling range:	> 100 °C
Flammability:	Not determined
Lower and upper explosion limit:	Not determined
Flash point:	> 100 °C
Auto-ignition temperature:	Not determined



In accordance with REACH Regulation EC No.1907/2006

	in decendance	
Product:	V-Air Solid-Citrus Mango V-S	OLID CITRUS EU
Version:	4	
Decompositio	n temperature:	Not relevant
pH:		Not determined
Kinematic vis	cosity:	Not determined
Solubility:		Not determined
Partition coeff value):	ficient: n-octanol/water (log	Not determined
Vapour press	ure:	0.65479291 mmHg
Density and/o	r relative density:	Not determined
Relative vapo	ur density:	Not determined
Particle chara	cteristics:	Not determined
9.2 Other info	rmation:	
Volatile Organi	c Compound:	10.2000%

# 10.200%

# Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

(CH) VOC % Switzerland:

Good stability under normal storage conditions.

### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

#### 10.6 Hazardous decomposition products:

Not expected.

### Section 11. Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	Not Applicable
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Based on available data the classification criteria are not met.
Serious eye damage/irritation:	Eye Damage / Irritation Category 2



In accordance with REACH Regulation EC No.1907/2006

Version: 4

Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.

#### Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

### 11.2 Information on other hazards

Not Applicable

# Section 12. Ecological information

12.1 Toxicity: Harmful to aquatic life with long lasting effects. 12.2 Persistence and degradability:

- Not available
- 12.3 Bioaccumulative potential: Not available Not available
- 12.4 Mobility in soil:

# 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

- **12.6 Endocrine disrupting properties:** Not Applicable
- 12.7 Other adverse effects: Not available

# Section 13. Disposal considerations

### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	Not classified	-	-	-	-
IMDG	Not classified	-	-	-	-



In accordance with REACH Regulation EC No.1907/2006

Product: V-Air Solid-Citrus Mango V-SOLID CITRUS EU

#### Version: 4

ADR,RID,ADN	Not classified	-	-	-	-
ΙCAO ΤΙ	Not classified	-	-	-	-

### 14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

### 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not classified

### Section 15. Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SDS Reference No.:	SDS_1205

Total % of high VP components (VOC): 6.4%

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out for this product.

#### Section 16. Other information

Concentration % Limits:	EDI 2=68.49% SS 1=33.33% EH C3=20.58%
Total Fractional Values:	EDI 2=1.46 SS 1=3.00 EH C3=4.86

# Key to revisions:

Classification under Regulation (EC) No 1272/2008 Concentration % Limits Information about hazardous ingredients in the mixture Product identifier SECTION 3: Composition/information on ingredients Total Fractional Values Workplace exposure limits

### Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Inhalation Category 4
Acute Tox. 4	Acute Toxicity - Dermal Category 4
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1



4

# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

#### Product: V-Air Solid-Citrus Mango V-SOLID CITRUS EU

#### Version:

Eye Irrit. 2 Eye Damage / Irritation Category 2 Flam. Liq. 3 Flammable Liquid, Hazard Category 3 Flam. Sol. 1 Flammable Solid, Hazard Category 1 Flam. Sol. 2 Flammable Solid, Hazard Category 2 H226 Flammable liquid and vapour. H228 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage H319 Causes serious eye irritation H332 Harmful if inhaled H335 May cause respiratory irritation. H371 May cause damage to organs (organs, exposure route) H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces. - No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to P305/351/338 do. Continue rinsing. P309/311 IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician.



4

# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

# Product: V-Air Solid-Citrus Mango V-SOLID CITRUS EU

#### Version:

Immediately call a POISON CENTER or doctor/physician.
Call a POISON CENTRE or doctor/physician if you feel unwell.
Rinse mouth.
Do not induce vomiting.
If skin irritation occurs: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
Collect spillage.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to approved disposal site, in accordance with local regulations.
Specific Target Organ Toxicity (Single Exposure) Category 2
Specific Target Organ Toxicity (Single Exposure) Category 3
Skin Corrosion / Irritation Category 2
Sensitization - Skin Category 1
Sensitization - Skin Category 1A
Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.