

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/06/2024

Reviewed on 05/06/2024

1 Identification

- **Product identifier** EAEDC428
- **Trade name:** AIROMA-LAVENDER LAVENDER & GERANIUM
- **Manufacturer article number:** EAEDC428
- **Application of the substance / the mixture** Air freshener
- **Details of the supplier of the safety data sheet (908)(551)**
- **Manufacturer/Supplier:**
Vectair Systems Inc.
2095 Spicer Cove, Covington Way Distribution Centre, Memphis, TN 38134, USA
- +1 901 373 7818
- **Information department:** Product safety department prod-dev@vectairsystems.com
- **Emergency telephone number:**
- **INFOTRAC** +1 800 535 5053 **INTERNATIONAL** +1 352 323 3500

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flammable Aerosols 1

H222 Extremely flammable aerosol.



GHS04 Gas cylinder

Gases under Pressure - Compressed gas H280 Contains gas under pressure; may explode if heated.



GHS07

Eye Irritation 2A

H319 Causes serious eye irritation.

Sensitization - Skin 1

H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS04



GHS07

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Fragrance Trade Secret (908)

- **Hazard statements**

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/06/2024

Reviewed on 05/06/2024

Trade name: AIROMA-LAVENDER LAVENDER & GERANIUM

(Contd. of page 1)

· Precautionary statements

- P210 *Keep away from heat/sparks/open flames/hot surfaces. - No smoking.*
- P211 *Do not spray on an open flame or other ignition source.*
- P251 *Pressurized container: Do not pierce or burn, even after use.*
- P261 *Avoid breathing dust/fume/gas/mist/vapors/spray*
- P264 *Wash thoroughly after handling.*
- P272 *Contaminated work clothing must not be allowed out of the workplace.*
- P280 *Wear protective gloves / eye protection / face protection.*
- P302+P352 *If on skin: Wash with plenty of water.*
- P305+P351+P338 *If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
- P333+P313 *If skin irritation or rash occurs: Get medical advice/attention.*
- P321 *Specific treatment (see on this label).*
- P337+P313 *If eye irritation persists: Get medical advice/attention.*
- P363 *Wash contaminated clothing before reuse.*
- P410+P403 *Protect from sunlight. Store in a well-ventilated place.*
- P411 *Store at temperatures not exceeding 48°C /120°F.*
- P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

· Classification system:
· NFPA ratings (scale 0 - 4)

Health = 2

Fire = 4

Reactivity = 1

· HMIS-ratings (scale 0 - 4)

Health = 2

Fire = 4

Reactivity = 1

· Other hazards
· Results of PBT and vPvB assessment
· PBT: Not applicable.

· vPvB: Not applicable.

* 3 Composition/information on ingredients

· Chemical characterization: Mixtures
· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

67-64-1	acetone	>50-≤100%
75-28-5	isobutane	>10-≤25%
74-98-6	propane	>2.5-≤10%
106-97-8	butane, pure	≤2.5%
	Fragrance Trade Secret (908)	≥1-≤2.5%
102-06-7	1,3-diphenylguanidine	≥0.1-≤2.5%
78-70-6	Linalool	≥0.1-<1%

US

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/06/2024

Reviewed on 05/06/2024

Trade name: AIROMA-LAVENDER LAVENDER & GERANIUM

(Contd. of page 2)

4 First-aid measures

- **Description of first aid measures**

- **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** If symptoms persist consult doctor.

- **Information for doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol-resistant foam.

- **Special hazards arising from the substance or mixture** No further relevant information available.

- **Advice for firefighters**

- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- **Protective Action Criteria for Chemicals**

· PAC-1:		
67-64-1	acetone	200 ppm
75-28-5	isobutane	5500* ppm
74-98-6	propane	5500* ppm
106-97-8	butane, pure	5500* ppm
102-06-7	1,3-diphenylguanidine	0.97 mg/m ³
5989-27-5	(R)-p-mentha-1,8-diene	15 ppm
91-64-5	Coumarin	0.88 mg/m ³
· PAC-2:		
67-64-1	acetone	3200* ppm
75-28-5	isobutane	17000** ppm

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/06/2024

Reviewed on 05/06/2024

Trade name: AIROMA-LAVENDER LAVENDER & GERANIUM

(Contd. of page 3)

74-98-6	propane	17000** ppm
106-97-8	butane, pure	17000** ppm
102-06-7	1,3-diphenylguanidine	11 mg/m ³
5989-27-5	(R)-p-mentha-1,8-diene	67 ppm
91-64-5	Coumarin	9.7 mg/m ³

· PAC-3:

67-64-1	acetone	5700* ppm
75-28-5	isobutane	53000*** ppm
74-98-6	propane	33000*** ppm
106-97-8	butane, pure	53000*** ppm
102-06-7	1,3-diphenylguanidine	64 mg/m ³
5989-27-5	(R)-p-mentha-1,8-diene	170 ppm
91-64-5	Coumarin	58 mg/m ³

7 Handling and storage

· Handling:

· **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.

· **Information about protection against explosions and fires:**

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Observe official regulations on storing packagings with pressurized containers.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Keep receptacle tightly sealed.

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

67-64-1 acetone

PEL Long-term value: 2400 mg/m³, 1000 ppm

REL Long-term value: 590 mg/m³, 250 ppm

TLV Short-term value: 500 ppm

Long-term value: 250 ppm

A4, BEI

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/06/2024

Reviewed on 05/06/2024

Trade name: AIROMA-LAVENDER LAVENDER & GERANIUM

(Contd. of page 4)

75-28-5 isobutane

TLV Short-term value: 1000 ppm
(EX)

74-98-6 propane

PEL Long-term value: 1800 mg/m³, 1000 ppm
REL Long-term value: 1800 mg/m³, 1000 ppm
TLV see Appendix F Minimal oxygen content (D, EX)

106-97-8 butane, pure

REL Long-term value: 1900 mg/m³, 800 ppm
TLV Short-term value: 1000 ppm
(EX)

· **Ingredients with biological limit values:**

67-64-1 acetone

BEI 25 mg/L
Medium: urine
Time: end of shift
Parameter: Acetone (nonspecific)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
Use suitable respiratory protective device in case of insufficient ventilation.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/06/2024

Reviewed on 05/06/2024

Trade name: AIROMA-LAVENDER LAVENDER & GERANIUM

(Contd. of page 5)

· **Eye protection:**
Safety glasses



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

- **Form:** Aerosol
- **Color:** According to product specification
- **Odor:** Characteristic
- **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· Change in condition

- **Melting point/Melting range:** Undetermined.
- **Boiling point/Boiling range:** -44.5 °C (-48.1 °F)

· **Flash point:** < 0 °C (< 32 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Auto igniting:** 460 °C (860 °F)

· **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· Explosion limits:

- **Lower:** 1.8 Vol %
- **Upper:** 13 Vol %

· **Vapor pressure at 20 °C (68 °F):** 3,000 hPa (2.300 mm Hg)

· **Vapor pressure at 50 °C (122 °F):** 800 hPa (600 mm Hg)

· **Density:** Not determined.

- **Relative density** Not determined.
- **Vapor density** Not determined.
- **Evaporation rate** Not applicable.

· Solubility in / Miscibility with

· **Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· Viscosity:

- **Dynamic:** Not determined.
- **Kinematic:** Not determined.

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/06/2024

Reviewed on 05/06/2024

Trade name: AIROMA-LAVENDER LAVENDER & GERANIUM

(Contd. of page 6)

· Solvent content:	
· Organic solvents:	72.1 %
· VOC content:	25.17 %
	251.7 g/l / 2.10 lb/gal

· Solids content:	1.0 %
--------------------------	-------

· Other information	No further relevant information available.
----------------------------	--

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
 - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-64-1 acetone

Oral	LD50	5,800 mg/kg (rat)
Dermal	LD50	20,000 mg/kg (rabbit)

· Primary irritant effect:

- **on the skin:** No irritant effect.

- **on the eye:** Irritating effect.

- **Sensitization:** Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

5989-27-5	(R)-p-mentha-1,8-diene	3
91-64-5	Coumarin	3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

US

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/06/2024

Reviewed on 05/06/2024

Trade name: **AIROMA-LAVENDER LAVENDER & GERANIUM**

(Contd. of page 7)



12 Ecological information

- **Toxicity**
 - **Aquatic toxicity:** No further relevant information available.
 - **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
 - **Bioaccumulative potential** No further relevant information available.
 - **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Uncleaned packagings:**
 - **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
- **DOT, IMDG, IATA** UN1950
- **UN proper shipping name**
- **DOT** Aerosols, flammable
- **IMDG** AEROSOLS
- **IATA** AEROSOLS, flammable
- **Transport hazard class(es)**
- **DOT**
- 
- **Class** 2.1 Gases
- **Label** 2.1
- **IMDG, IATA**
- 
- **Class** 2.1 Gases
- **Label** 2.1
- **Packing group**
- **DOT, IMDG, IATA** not regulated
- **Environmental hazards:** Not applicable.
- **Special precautions for user** Warning: Gases
- **Hazard identification number (Kemler code):** -

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/06/2024

Reviewed on 05/06/2024

Trade name: AIROMA-LAVENDER LAVENDER & GERANIUM

(Contd. of page 8)

· EMS Number:	F-D,S-U
· Stowage Code	SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
· Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

67-64-1	acetone	ACTIVE
75-28-5	isobutane	ACTIVE
74-98-6	propane	ACTIVE
106-97-8	butane, pure	ACTIVE
102-06-7	1,3-diphenylguanidine	ACTIVE
78-70-6	Linalool	ACTIVE
80-54-6	p-t-Butyl-alpha-methylhydrocinnamic aldehyde	ACTIVE
5989-27-5	(R)-p-mentha-1,8-diene	ACTIVE
106-22-9	dl-Citronellol	ACTIVE
106-24-1	geraniol	ACTIVE
91-64-5	Coumarin	ACTIVE

(Contd. on page 10)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/06/2024

Reviewed on 05/06/2024

Trade name: AIROMA-LAVENDER LAVENDER & GERANIUM

(Contd. of page 9)

51414-25-6 | 3-(4-Hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde

ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65
· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories
· EPA (Environmental Protection Agency)

67-64-1 | acetone

I

· TLV (Threshold Limit Value)

67-64-1 | acetone

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product Safety Department

· Contact: +52 33 3688 0850

· Date of preparation / last revision 05/06/2024 / 6

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Aerosols 1: Aerosols – Category 1

Gases under Pressure - Compressed gas: Gases under pressure – Compressed gas

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - Skin 1: Skin sensitisation – Category 1

· * Data compared to the previous version altered.