

### In accordance with 29 CFR 1910.1200

Product: WEE-SCREEN - ICE W-SCRN ICE-US

Version: 4

# **1. IDENTIFICATION**

Product Identifier	
Product identifier: Other identifiers:	WEE-SCREEN - ICE W-SCRN ICE-US 23-051-20
	the chemical and restrictions on use
Product uses:	Urinal Screen,For Professional use only.
Uses advised against	: Use only for intended applications
Supplier Details	
Company name:	Vectair Systems Inc.
Company address:	2095 Spicer Cove, Covington Way Distribution Centre, Memphis, TN 38134, USA
Contact:	Product development
E-Mail address:	info@vectairsystems.com
Company phone:	Vectair Systems Inc +1 901 373 7818 (during normal office hours)
Emergency telephone	number
Emergency phone:	INFOTRAC +1 800 535 5053 INTERNATIONAL +1 352 323 3500

# 2. HAZARD IDENTIFICATION

# **Classification**

## This product is classified under 29CFR 1910.1200(d) as follows:

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) Class and category of Sensitization - Skin Category 1 danger:

Signal word: Warning.

Hazard statements: May cause an allergic skin reaction.

**Pictograms:** 

Precautionary	Wear protective gloves/eye protection/face protection.
statements:	IF ON SKIN: Wash with plenty of soap and water.
	If skin irritation or rash occurs: Get medical advice/attention.
	Dispose of contents/container to approved disposal site, in accordance with local regulations.

Hazards not otherwise None classified (HNOC)



In accordance with 29 CFR 1910.1200

Product: WEE-SCREEN - ICE W-SCRN ICE-US

Version: 4

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Mixtures**

#### **Contains:**

Name	CAS	%	GHS Classification
d-Limonene	5989-27-5, 138-86-3, 5989-54-8	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B- Asp. Tox 1;H226-H304-H315-H317
alpha-Hexylcinnamaldehyde	101-86-0, 165184-98-5	1-<5%	Skin Sens. 1B;H317
beta-Pinene	127-91-3	1-<5%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B- Asp. Tox 1;H226-H304-H315-H317
alpha-Pinene	80-56-8, 7785-26-4	1-<5%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2- Skin Sens. 1B-Asp. Tox 1;H226-H302- H304-H315-H317
Diethyl malonate	105-53-3	1-<5%	Flam. Liq. 4-Eye Irrit. 2A;H227-H319
Linalool	78-70-6	1-<5%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2A- Skin Sens. 1B;H227-H315-H317-H319
C11-15-Isoalkanes	90622-58-5	1-<5%	Flam. Liq. 4-Asp. Tox 1;H227-H304
Citral	5392-40-5	0.1-<1%	Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1; H315-H317-H319
Geraniol	106-24-1	0.1-<1%	Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1; H315-H317-H318
Isoeugenol	97-54-1	0.1-<1%	Acute Tox. 4-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1A-STOT SE 3;H302-H312-H315- H317-H319-H332-H335

The exact percentage concentrations of components are being withheld as a trade secret.

#### **4. FIRST-AID MEASURES**

## **Description of first aid measures**

Inhalation:Remove from exposure site to fresh air, keep at rest, and obtain medical attention.Eye exposure:Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.Skin exposure:IF ON SKIN: Wash with plenty of soap and water.Ingestion:Rinse mouth with water and obtain medical attention.

Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

## Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically



#### In accordance with 29 CFR 1910.1200

Product: WEE-SCREEN - ICE W-SCRN ICE-US

Version: 4

# 5. FIRE-FIGHTING MEASURES

#### Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### Specific hazards arising from the chemical

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### Protective Equipment and Precautions for Firefighters

In case of insufficient ventilation, wear suitable respiratory equipment.

## **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

## 7. HANDLING AND STORAGE

## Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

#### Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

# **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

#### **Exposure guidelines**

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

#### Other exposure guidelines

No information available

#### Exposure controls

#### **Engineering measures**



#### In accordance with 29 CFR 1910.1200

Product: WEE-SCREEN - ICE W-SCRN ICE-US

Version: 4

Showers, eyewash stations, ventilation systems.

#### Individual protection measures, such as personal protective equipment

#### **Eye/Face and Skin Protection**

Wear protective gloves/eye protection/face protection, and suitable protective clothing

#### **Respiratory protection**

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. A NIOSH-approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where air-purifying respirators may not provide adequate protection.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and chemical properties

Appearance:	Light Blue Solid		
Odor:	Characteristic		
Odor threshold:	Not determined		
pH:	Not determined		
Melting point / freezing point:	Not determined		
Initial boiling point / range:	> 100 °C		
Flash point:	> 212 °F / > 100 °C		
Evaporation rate:	Not determined		
Flammability (solid, gas):	Not determined		
Upper/lower flammability or explosive limits:	Product does not present an explosion hazard		
Vapor pressure:	Not determined		
Vapor density:	Not determined		
Relative density:	Not determined		
Solubility(ies):	Not determined		
Partition coefficient: n-octanol/water:	Not determined		
Auto-ignition temperature:	Not determined		
Decomposition temperature:	Not determined		
Viscosity:	Not determined		
Other information:	None available		



In accordance with 29 CFR 1910.1200

Product: WEE-SCREEN - ICE W-SCRN ICE-US

Version: 4

# **10. STABILITY AND REACTIVITY**

### **Reactivity:**

Presents no significant reactivity hazard, by itself or in contact with water.

## Chemical stability:

Good stability under normal storage conditions.

#### Possibility of hazardous reactions:

Not expected under normal conditions of use.

### Conditions to avoid:

Avoid extreme heat.

## Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

#### Hazardous decomposition products:

Not expected.

## **11. TOXICOLOGICAL INFORMATION**

## Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in 29 CFR 1910.1200.

Acute Toxicity:	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	Not Applicable
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Based on available data the classification criteria are not met.
Serious eye damage/irritation:	Based on available data the classification criteria are not met.
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.
Aspiration hazard:	Based on available data the classification criteria are not met.
Additional Information	None available



4

# SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: WEE-SCREEN - ICE W-SCRN ICE-US

Version:

**12. ECOLOGICAL INFORMATION** 

## **Ecotoxicity:**

Toxic to aquatic life with long lasting effects.

Persistence and degradability:	Not available
Bioaccumulative potential:	Not available
<u>Mobility in soil:</u>	Not available
Other adverse effects:	Not available

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## **14. TRANSPORT INFORMATION**

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4. Packing Group:
UN Model Regulations	UN3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (alpha- Pinene, beta-Pinene)	9	-	111
US DOT	Not classified	-	-	-	-
US DOT (Bulk)	Not classified	-	-	-	-
IMDG	UN3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (alpha- Pinene, beta-Pinene) MARINE POLLUTANT	9	-	111
ADR,RID,ADN	UN3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (alpha- Pinene, beta-Pinene)	9	-	111
ICAO TI	UN3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (alpha- Pinene, beta-Pinene)	9	-	111

US DOT refers to domestic transport by road/rail within the 48 ground states

US DOT (Bulk) refers to domestic bulk transport by road/rail within the 48 ground states.

Environmental hazards:

This is an environmentally hazardous substance. None additional

Special precautions for user:

Vectair Systems Inc. 2095 Spicer Cove, Covington Way Distribution Centre, Memphis, TN 38134, USA



In accordance with 29 CFR 1910.1200

Product: WEE-SCREEN - ICE W-SCRN ICE-US

Version: 4

# Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

# **15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

SDS Reference No.:

SDS\_2024

Total % of high VP components (VOC): 6.6%

# Additional information

None additional

# **16. OTHER INFORMATION**

Issue date: 09/02/2024 Version: 4 Version Date: 09/02/2024

## Key to revisions:

3 Composition/information on ingredients

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.